

# **PHILIPPINE BIDDING DOCUMENTS**



## **Procurement of Portable Data Racks and Comprehensive IT Infrastructure Maintenance Services for SEC Offices**

**First Edition  
May 2025**

## Preface

This Philippine Bidding Documents (PBD) for the Government of the Philippines (GoP) for the procurement of Goods through Competitive Bidding have been prepared by the GoP for use by all branches, agencies, departments, bureaus, offices, or instrumentalities of the government, including government-owned and/or -controlled corporations (GOCC), government financial institutions (GFI), state universities and colleges (SUC), and local government units (LGU) and autonomous regional government use in projects that are financed in whole or in part by the GOP or any foreign government/foreign or international financing institution in accordance with the provisions of the Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 12009.

The Bidding Documents shall clearly and adequately define, among others: (a) the objectives, scope, and expected outputs and/or results of the proposed contract; (b) the eligibility requirements of Bidders, such as track record to be determined by the Head of the Procuring Entity (HoPE); (c) the expected contract duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (d) the obligations, duties, and/or functions of the winning Bidder.

In order to simplify the preparation of the Bidding Documents for each procurement, the PBD groups the provisions that are intended to be used unchanged in Section II. Instructions to Bidders (ITB) and in Section IV. General Conditions of Contract (GCC). Data and provisions specific to each procurement and contract should be included in Section III. Bid Data Sheet (BDS); Section V. Special Conditions of Contract (SCC); Section VI. Schedule of Requirements; and Section VII. Technical Specifications. The forms to be used are provided in Section VIII. Philippine Bidding Document Related Forms.

Prudence must be exercised to check the relevance of the provisions of the PBD against the requirements of the specific Goods to be procured. In addition, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents, except for the notes introducing Section VIII. Philippine Bidding Document Related Forms where the information is useful for the Bidder. The following general directions should be observed when using the documents:

- a) All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Project.
- b) Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the ITB, BDS, and SCC. The final documents should contain neither blank spaces nor options.
- c) This Preface and the footnotes or notes in italics included in the Invitation to Bid, BDS, SCC, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow. The Bidding Documents should not contain footnotes except Section VIII. Philippine Bidding Document Related Forms since these provide important guidance to Bidders.
- d) The cover page should be modified as required to identify the Bidding Documents and date of issue.

- e) The Project title page should be modified as required to identify the Project title and number, name and address of the Procuring Entity.
- f) If modifications must be made to the bidding requirements, they can be presented in the BDS. Modifications for specific Project or Contract details should be provided in the SCC as amendments to the Conditions of Contract. For easy reference and completion, clauses from the PBD and SCC shall appear in bold type face on Section II. Instructions to Bidders and Section IV. General Conditions of Contract, respectively.



# **PROCUREMENT OF GOODS**

**Procurement of Portable Data Racks and  
Comprehensive IT Infrastructure Maintenance Services  
for SEC Offices**

**Competitive Bidding No. 2026-11**

## TABLE OF CONTENTS

|                                                              |    |
|--------------------------------------------------------------|----|
| Glossary of Acronyms, Terms, and Abbreviations .....         | 6  |
| Definition of Terms .....                                    | 8  |
| Section I. Invitation to Bid .....                           | 10 |
| Section II. Instructions to Bidders .....                    | 13 |
| Section III. Bid Data Sheet.....                             | 41 |
| Section IV. General Conditions of Contract.....              | 45 |
| Section V. Special Conditions of Contract.....               | 59 |
| Section VI. Schedule of Requirements.....                    | 63 |
| Section VII. Technical Specifications .....                  | 64 |
| Section VIII. Philippine Bidding Document Related Forms..... | 91 |

## ***Glossary of Acronyms, Terms, and Abbreviations***

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

BDS – Bid Data Sheet.

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

CDA - Cooperative Development Authority.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

COS – Contract of Service.

CPI – Consumer Price Index.

DDP – Delivered Duty Paid.

DOLE – Department of Labor and Employment.

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – “Free Carrier” shipping point.

FOB – “Free on Board” shipping point.

GCC - General Conditions of Contract.

GFI – Government Financial Institution.

GOCC – Government-Owned and/or –Controlled Corporation.

GoP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

HoPE – Head of Procuring Entity.

INCOTERMS – International Commercial Terms.

IRR – Implementing Rules and Regulations.

ITB – Instructions to Bidders.

JO – Job Order.

LCB- Lowest Calculated Bid.

LCRB – Lowest Calculated Responsive Bid.

LGU – Local Government Unit

LoC – Letter of Credit.

MAB – Most Advantageous Bid.

MARB – Most Advantageous Responsive Bid.

MEARB – Most Economically Advantageous Responsive Bid.

MYCA – Multi-Year Contracting Authority.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

PSA – Philippine Statistics Authority.

RA No. – Republic Act Number.

SARB – Single Advantageous Responsive Bid.

SCC - Special Conditions of Contract.

SCRB – Single Calculated Responsive Bid.

SEARB – Single Economically Advantageous Responsive Bid.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

UN – United Nations.

## ***Definition of Terms***

**Bid** – a signed offer, proposal, or quotation submitted by a supplier, manufacturer, distributor, contractor, consultant, or service provider in response to the requirements of the Procuring Entity as stated in the Bidding Documents. (IRR, Section 5[c]).

**Bidder** – a supplier, manufacturer, distributor, contractor, consultant, and service provider, whether public or private, who submits a Bid in response to the requirements of the Procuring Entity as stated in the Bidding Documents. (IRR, Section 5[d]).

**Bidding Documents** – the documents issued by the Procuring Entity as the basis for Bids, furnishing all information necessary to prospective Bidder to prepare a Bid for the Goods, Infrastructure Projects, and Consulting Services required by the Procuring Entity. (IRR, Section 5[e]).

**Contract** – refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**Contract Price** - the price payable to the Supplier under the Contract for the full and proper performance of its contractual obligations.

**Effective Date of the Contract** – the date indicated in the contract. However, the Supplier shall commence performance of its obligations only upon receipt of the Notice to Proceed.

**Foreign-funded Procurement or Foreign-Assisted Project** – refers to the acquisition of Goods, Consulting Services, and the contracting for Infrastructure Projects by the Government of the Philippines which are wholly or partly funded by foreign loans or grants pursuant to a Treaty or International or Executive Agreement.

**Framework Agreement** – is a procurement strategy which shall be in the nature of an option contract between the Procuring Entity and the Bidder that stipulates the terms and conditions to be applied in subsequent contracts for the procurement of Goods, Infrastructure Projects, and Consulting Services with a single or multiple contractor, manufacturer, supplier, distributor, consultant, and service provider to expand the pool of prospective Bidders, take advantage of economies of scale, minimize the administrative burden of conducting separate procurement activities, and generate time and money savings. (IRR, Section 16.2).

**Goods** – refer to (i) all items, supplies, and materials, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity; or (ii) general support services which pertain to all types of services except Consulting Services and Infrastructure Projects, such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services. Personnel Services or individual COS or JO engagements do not fall under this definition; (IRR, Section 5[n])

**MARB** – refers to the award criteria in the procurement of Goods where the considerations for the award of contract are the eligibility of the bidder, the responsiveness of its bid to the technical requirements, and the most advantageous bid in reference to the highest rated offer based on the quality component of the bid.

MEARB – refers to the award criteria in the procurement of Goods where the considerations for the award of contract are the eligibility of the bidder, and the responsiveness of its bid to the technical requirements, and the determination of the most economically advantageous bid in reference to the quality-price ratio allocated to the technical and financial components of the bid.

Online submission – pertains to the submission of the bid for Goods and the bid envelopes containing the technical and financial components of the bid through electronic means or through the electronic bidding facility of the PhilGEPS.

Project – refers to a specific or identified procurement covering Goods, Infrastructure Projects or Consulting Services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan.

Services - means those services ancillary to the supply of the Goods, such as transportation and insurance, and any other incidental services, such as installation, commissioning, provision of technical assistance, training, and other such obligations of the Supplier covered under the Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by its Bid. Supplier as used in these Bidding Documents may likewise refer to a manufacturer, distributor, contractor, or consultant, or service provider.

Verified Report - the report submitted by the Implementing Unit to the HoPE setting forth its findings as to the existence of grounds or causes for termination and explicitly stating its recommendation for the issuance of a Notice to Terminate.

***Section I. Invitation to Bid***

**INVITATION TO BID FOR  
Procurement of Portable Data Racks and Comprehensive IT Infrastructure  
Maintenance Services for SEC Offices**

- 1) The Securities and Exchange Commission (SEC), through the FY 2026 Annual Operating Budget for SEC, intends to apply the sum of **Fifty-Nine Million Two Hundred Fifty Thousand Pesos (Php59,250,000.00)**, being the Approved Budget for the Contract (ABC) to payments under the contract for the **Procurement of Portable Data Racks and Comprehensive IT Infrastructure Maintenance Services for SEC Offices**, under **Competitive Bidding No. 2026-11**. Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2) The SEC now invites bids for procurement Project. Delivery of the Goods is required in FY 2026. Bidders should have completed, at least within five (5) years from the date of submission and receipt of bids, contracts similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
- 3) Bidding will be conducted through competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the IRR of RA No. 12009.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

- 4) Interested Bidders may obtain further information from the SEC and inspect the Bidding Documents at the address given below from 7:00AM to 4:00PM.
- 5) A complete set of Bidding Documents may be acquired by interested Bidders on 04 May 2026 from the address given below upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Php50,000.00.

It may also be downloaded free of charge from the website of the Philippine Government Electronic Procurement System (PhilGEPS) and the website of the Procuring Entity, provided that Bidders shall pay the applicable fee for the Bidding Documents not later than the submission of their bids.

The prospective bidders are advised to send an email at [fpbaluyot@sec.gov.ph](mailto:fpbaluyot@sec.gov.ph) to request for the Payment Assessment Form (PAF), which shall be used for the payment of the abovementioned applicable fee.

Payments should be done over the counter at any Landbank branch nationwide or online through eSPAYSEC.

For over the counter payment at LandBank:

- Print 2 copies of PAF:
  - o 1 Client Copy
  - o 1 LandBank Copy
- Accomplish the on-Coll Payment slip per fund account as indicated on the breakdown summary.

- Use the correct Fund Account and Account No. and provide the below information:
  - o Reference Number 1 - PAF No.
  - o Reference Number 2 - Name of Payor appearing on the PAF
- Present On-Coll Payment Slip, together with the PAF, to the LandBank Teller

For online payment:

- Access eSPAYSEC through the link below, enter PAF Reference Number, select your payment: <https://www.sec.gov.ph/sec-payment-portal>
  - Enter PAF Reference Number
  - Select preferred payment option:
    - o Debit/Credit Card
    - o Paymaya Wallet/GCash
  - Enter email address and verification code
  - Click proceed to payment
- 6) The SEC will hold a Pre-Bid Conference on **08 May 2026 (Friday), 10:00AM** at the MSD Conference Room, 7F The SEC Headquarters, 7907 Makati Ave., Salcedo Village, Bel-Air, Makati City and through video conferencing via Zoom application, which shall be open to prospective Bidders.
  - 7) Bids must be duly received by the Bids and Awards Committee (BAC) Secretariat through manual submission at the office address indicated below on or before **22 May 2026 (Friday), 10:00AM**. Late bids shall not be accepted.
  - 8) All Bids must be accompanied by a Bid Security in any of the acceptable forms and in the amount stated in ITB Clause 16.1.
  - 9) Bid opening shall be on **22 May 2026 (Friday), 10:15AM** at the MSD Conference Room, 7F The SEC Headquarters, 7907 Makati Ave., Salcedo Village, Bel-Air, Makati City and via Zoom application. Bids will be opened in the presence of the Bidders' representatives who choose to attend the activity.
  - 10) The SEC reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Section 70 of R.A. No. 12009, without incurring any liability to the affected Bidder or Bidders.
  - 11) For further information, please refer to:
 

Procurement Unit  
Management Services Department  
7F The SEC Headquarters, 7907 Makati Ave.  
Salcedo Village, Bel-Air, Makati City
  - 12) You may visit the following websites:  
<https://www.sec.gov.ph>  
<https://www.philgeps.gov.ph>

30 April 2026

[Redacted Signature]

**OLIVER O. LEONARDO**  
BAC Chairman for IT Goods and Services

## ***Section II. Instructions to Bidders***

## TABLE OF CONTENTS

|                                                                            |           |
|----------------------------------------------------------------------------|-----------|
| <b>A. General.....</b>                                                     | <b>16</b> |
| 1) Scope of Bid .....                                                      | 16        |
| 2) Source of Funds .....                                                   | 16        |
| 3) Corrupt, Fraudulent, Collusive, and Coercive Practices .....            | 16        |
| 4) Conflict of Interest.....                                               | 17        |
| 5) Eligible Bidders .....                                                  | 19        |
| 6) Bidder's Responsibilities .....                                         | 20        |
| 7) Origin of Goods .....                                                   | 22        |
| 8) Subcontracts .....                                                      | 23        |
| <b>B. Contents of Bidding Documents.....</b>                               | <b>23</b> |
| 9) Pre-Bid Conference .....                                                | 23        |
| 10) Clarification and Amendment of Bidding Documents .....                 | 23        |
| <b>C. Preparation of Bids .....</b>                                        | <b>24</b> |
| 11) Language of Bids.....                                                  | 24        |
| 12) Documents Comprising the Bid: Technical and Financial Components ..... | 24        |
| 13) Bid Prices .....                                                       | 26        |
| 14) Bid Currencies .....                                                   | 27        |
| 15) Bid Validity.....                                                      | 27        |
| 16) Bid Security .....                                                     | 27        |
| 17) Format and Signing of Bids.....                                        | 30        |
| 18) Sealing and Marking of Bids .....                                      | 30        |
| <b>D. Submission and Opening of Bids .....</b>                             | <b>31</b> |
| 19) Deadline for Submission of Bids .....                                  | 31        |
| 20) Late Bids .....                                                        | 31        |
| 21) Modification and Withdrawal of Bids .....                              | 31        |
| 22) Opening and Preliminary Examination of Bids .....                      | 32        |
| <b>E. Evaluation and Comparison of Bids .....</b>                          | <b>33</b> |
| 23) Process to be Confidential.....                                        | 33        |
| 24) Clarification of Bids .....                                            | 33        |
| 25) Domestic Preference .....                                              | 33        |
| 26) Detailed Evaluation and Comparison of Bids .....                       | 34        |
| 27) Post-Qualification .....                                               | 36        |

|           |                               |           |
|-----------|-------------------------------|-----------|
| 28)       | Reservation Clause .....      | 37        |
| <b>F.</b> | <b>Award of Contract.....</b> | <b>38</b> |
| 29)       | Contract Award.....           | 38        |
| 30)       | Signing of the Contract ..... | 39        |
| 31)       | Performance Security .....    | 39        |
| 32)       | Notice to Proceed .....       | 40        |
| 33)       | Protest Mechanism.....        | 40        |

## **A. General**

### **1) Scope of Bid**

- 1.1 The Procuring Entity, named in the **BDS** invites bids for the Project with Identification Number which shall be specified in the **BDS**.
- 1.2 The Project is composed of number of lots or items as provided in the **BDS**, the details of which are described in Section VII. Technical Specifications.

### **2) Source of Funds**

The Procuring Entity has a budget or has received funds from the Funding Source named in the **BDS**, and in the amount indicated in the **BDS**. It intends to apply part of the funds received for this Project to cover eligible payments under the contract.

### **3) Corrupt, Fraudulent, Collusive, and Coercive Practices**

- 3.1 Unless otherwise specified in the **BDS**, the Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. In pursuance of this policy, the Procuring Entity:

1. defines, for purposes of this provision, the following terms under existing laws, rules, and regulations:
  - i) "corrupt practice" means an act by which officials in the public or private sectors improperly and unlawfully enrich themselves, others, or induce others to do so, by misusing the position in which they are placed, and includes the offering, giving, receiving, or soliciting of anything of value to influence the action of any such official in the procurement process or in contract execution; entering, on behalf of the government, into any contract or transaction manifestly and grossly disadvantageous to the same, whether or not the public officer profited or will profit thereby, and similar acts as provided in RA No. 3019.
  - ii) "fraudulent practice" means a misrepresentation of facts for purposes of influencing a procurement process or the execution of a contract to the detriment of the Procuring Entity, which includes collusive practices among Bidders (prior to or after bid submission) designed to establish bid prices at artificial, non-competitive levels and to deprive the Procuring Entity of the benefits of free and open competition.
  - iii) "collusive practices" means a scheme or arrangement between two or more Bidders, with or without the knowledge of the Procuring Entity, designed to establish bid prices at artificial, non-competitive levels.
  - iv) "coercive practices" means harming or threatening to harm, directly or indirectly, persons, or their property to influence their

participation in a procurement process, or affect the execution of a contract;

v) “obstructive practice” is

- a) deliberately destroying, falsifying, altering or concealing of evidence material to administrative proceedings or investigation or making false statements to investigators in order to materially impede administrative proceedings or investigation of the Procuring Entity or any foreign government/foreign or international financing institution relative to allegations of a corrupt, fraudulent, coercive, or collusive practice; and/or threatening, harassing, or intimidating any party to prevent the latter from disclosing its knowledge of matters relevant to the administrative proceedings or investigation or from pursuing such proceedings or investigation; or
- b) acts intended to materially impede the exercise of the inspection and audit rights of the Procuring Entity or any foreign government/foreign or international financing institution herein.

2. Undertakes to reject a proposal for award upon *prima facie* determination that the Bidder recommended for award has engaged in any of the prohibited practices mentioned in this Clause for purposes of competing for the contract.

3.2 Further, the Procuring Entity will seek to impose the maximum civil, administrative, and/or criminal penalties available under applicable laws on individuals and organizations deemed to be involved in any of the practices mentioned in ITB Clause 3.1(a).

3.3 Furthermore, the Funding Source and the Procuring Entity reserve the right to inspect and audit records and accounts of a Bidder or Supplier in the bidding for and performance of a contract themselves or through independent auditors as reflected in the **GCC** Clause 3.

#### **4) Conflict of Interest**

4.1 All Bidders found to have conflicting interests shall be disqualified to participate in the procurement at hand, without prejudice to the imposition of appropriate administrative, civil, and criminal sanctions. A Bidder may be considered to have conflicting interests with another Bidder in any of the events described in paragraphs (a) through (c) below and a general conflict of interest in any of the circumstances set out in paragraphs (d) and (f) below:

- a) A Bidder has controlling shareholders or beneficial owners in common with another Bidder;
- b) A Bidder receives or has received any direct or indirect subsidy from any other Bidder;
- c) A Bidder has the same legally authorized representative as that of another Bidder for purposes of this bid;

- d) A Bidder has a relationship, directly or through third parties, that puts them in a position to have access to information about or influence on the bid of another Bidder or influence the decisions of the Procuring Entity regarding this bidding process; This may include a firm or an organization that lends, or temporarily seconds, its personnel to firms or organizations that are engaged in consulting services for the preparation related to procurement for or implementation of the project, if the personnel would be involved in any capacity on the same project;
  - e) A Bidder who participated as a consultant in the preparation of the design or technical specifications of the Goods and related services that are the subject of the bid.
  - f) A Bidder who lends, or temporarily seconds, its personnel to firms or organizations which are engaged in consulting services for the preparation related to procurement for or implementation of the project, if the personnel would be involved in any capacity on the same project.
- 4.2 All Bidding Documents shall be accompanied by an omnibus sworn statement of the Bidder that it is not related, by consanguinity or affinity up to the third level, to the HoPE, Procurement Agent (if engaged), the head of the Project Management Office (PMO), the End-User or Implementing Unit or any members of the Bids and Awards Committee (BAC), Technical Working Group (TWG), and BAC Secretariat.
- 4.3 The Bidder shall also disclose the ultimate beneficial ownership of an entity. Failure to comply shall be a ground for the automatic disqualification of the bid in consonance with Section 59 of the IRR. For this reason, relation to the aforementioned persons within the third civil degree of consanguinity or affinity shall automatically disqualify the Bidder from participating in the procurement of contracts of the Procuring Entity notwithstanding the act of such persons inhibiting themselves from the procurement process. This Clause shall apply to the following persons and affiliates:
- a) In the case of individuals or sole proprietorships, to the Bidders and their spouses;
  - b) In the case of partnerships, to the partnership itself and its partners;
  - c) In the case of cooperatives, to the cooperative itself and members of the board of directors, general manager or chief executive officer;
  - d) A partnership, joint venture or consortium which is blacklisted or which has blacklisted member/s or partner/s, as well as a person or entity who is a member of a blacklisted joint venture or consortium, are, likewise not allowed to participate in any government procurement during the period of suspension or blacklisting; and
  - e) In the case of corporations, a single stockholder, together with their relatives up to the third civil degree of consanguinity or affinity, and their assignees, holding at least twenty percent (20%) of the shares therein, its chairperson and president, shall be blacklisted after they have been determined to hold the same controlling interest in a previously blacklisted corporation or in two corporations that have been blacklisted; the corporations of which they are part of shall also be blacklisted.

## 5) Eligible Bidders

5.1 Only Bids found to be legally, technically, and financially eligible will be evaluated. For procurement of Goods, the following persons shall be eligible to participate in this bidding:

- a) Duly-licensed Filipino citizens or sole proprietorships;
- b) Partnerships duly organized under the laws of the Philippines and of which at least sixty percent (60%) of the interest belongs to citizens of the Philippines;
- c) Corporations duly organized under the laws of the Philippines, and of which at least sixty percent (60%) of the outstanding capital stock belongs to citizens of the Philippines;
- d) Cooperatives duly organized under the laws of the Philippines; and
- e) Persons or entities forming themselves into a Joint Venture (JV), i.e., a group of two (2) or more persons or entities that intend to be jointly and severally responsible or liable for a particular contract: Provided, however, that Filipino ownership or interest of the JV concerned shall be at least sixty percent (60%). For this purpose, Filipino ownership or interest shall be based on the contributions of each of the members of the joint venture as specified in their Joint Venture Agreement (JVA); Provided, further, that the primary purpose of each member of the JV must be similar to or related with the requirements of the project to be bid out.

5.2 Foreign Bidders may be eligible to participate when any of the following circumstances exist, as specified in the **BDS**:

- a) When provided for under any treaty or international or executive agreement as provided in Section 4 of the IRR;
- b) When the foreign supplier is a citizen, corporation, or association of a country, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
- c) When the Goods sought to be procured are not available from local suppliers; or
- d) When there is a need to prevent situations that defeat competition or restrain trade.

5.3 GOCCs may be eligible to participate only if they can establish that they (a) are legally and financially autonomous, (b) operate under commercial law, and (c) are not attached agencies of the Procuring Entity.

5.4 The Bidder must have completed, within a period of ten (10) years from the submission of the bid, unless a shorter period is indicated in the Invitation to Bid and **BDS**, a Single Largest Completed Contract (SLCC) that is similar to the procurement project to be bid, and whose value must be equivalent to at least fifty percent (50%) of the ABC, adjusted to current prices using the Philippine Statistics Authority (PSA) consumer price indices.

5.5 If the Procuring Entity determines that it is necessary to adopt a different SLCC requirement to ensure broader Bidder participation while establishing their technical capacity, it may allow Bidders to present a combination of contracts completed within the same period, provided their total value is at least fifty percent (50%) of the ABC, thus:

- a) The Bidder should have completed at least one (1) similar contract amounting to at least 25% of the ABC; and
- b) The Bidder should have completed other contracts, whether similar or not, with an aggregate amount of at least 25% of the ABC.

For this purpose, the Procuring Entity may clarify in the **BDS** the definition or description of what it considers to be a similar project, which must be germane to the kind, class, or genus of goods or services to be procured, guided by the principle of proportionality and fit-for-purpose approach.

5.6 The Bidder must submit a computation of its Net Financial Contracting Capacity (NFCC), which must be at least equal to the ABC to be bid, calculated as follows:

NFCC = [(Current assets minus current liabilities) (15)] minus the value of all outstanding or uncompleted portions of the projects under ongoing contracts, including awarded contracts yet to be started coinciding with the contract to be bid.

The values of the domestic Bidder's current assets and current liabilities shall be based on the latest Audited Financial Statements (AFS) submitted to the BIR not earlier than two (2) years prior to date of bid submission.

For purposes of computing the foreign Bidders' NFCC, the value of the current assets and current liabilities shall be based on their latest AFS prepared in accordance with International Financial Reporting Standards.

If the Bidder opts to submit a committed Line of Credit, it must be at least equal to ten percent (10%) of the ABC to be bid. Provided that, if issued by a foreign bank, it shall be confirmed or authenticated by a local bank.

## **6) Bidder's Responsibilities**

6.1 The Bidder or its duly authorized representative shall submit an omnibus sworn statement, in the form prescribed in Section VIII. Philippine Bidding Document Related Forms, as required in ITB Clause 12.1(viii).

6.2 Before submitting their bids, the Bidder is deemed to be knowledgeable with all existing laws, decrees, ordinances, acts and regulations of the Philippines which may affect this Project in any way.

6.3 The Bidder undertook the following responsibilities:

- a) Took steps to carefully examine and ensure full understanding and comprehension of the Bidding Documents, its requirements, clauses, and provisions;

- b) Acknowledged all conditions, local, or otherwise, affecting the implementation of the contract;
- c) Made an estimate of the facilities available and needed for the contract to be bid, if any;
- d) Complied with the responsibility to inquire, or secure the Supplemental Bid Bulletin(s) as provided under ITB Clause 10.4;
- e) Ensured that it is not "blacklisted" or barred from bidding by the Government of the Philippines (GoP) or any of its agencies, offices, corporations, or LGUs, including foreign government, or foreign or international financing institutions whose blacklisting rules have been recognized by the GPPB; by itself or by reason of its relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity;
- f) Ensured that each of the documents submitted in satisfaction with the bidding requirements is an authentic copy of the original, complete, and that all statements and information provided therein are true and correct;
- g) Authorized the HoPE or its duly authorized representative/s to verify all the documents submitted;
- h) Ensured that the signatory is the duly authorized representative of the Bidder, and granted full power and authority to do, execute, and perform any and all acts necessary to participate, submit the bid, to sign, and execute the ensuing contract, accompanied by the duly-notarized Special Power of Attorney, Board, or Partnership Resolution, or Secretary's Certificate, whichever is applicable;
- i) Complied with the disclosure provision under Section 81 and 82 of RA No. 12009 and its IRR, in relation to other provisions of RA 3019;
- j) Complied with existing labor laws and standards, in the case of procurement of services. Moreover, the Bidder undertakes to:
  - i) Ensure the entitlement of workers to wages, hours of work, safety and health and other prevailing conditions of work as established by national laws, rules and regulations; or Collective Bargaining Agreement (CBA); or arbitration award, if and when applicable.

In case there is a finding by the Procuring Entity or the Department of Labor and Employment (DOLE) of underpayment or non-payment of workers' wages and wage-related benefits, the Bidder agrees that the performance security or portion of the contract amount shall be withheld in favor of the complaining workers pursuant to appropriate provisions of RA No. 12009, without prejudice to the institution of appropriate actions under the Labor Code, as amended, and other social legislations.

- ii) Comply with Occupational Safety and Health Standards (OSHS) and correct deficiencies, if any.

In case of imminent danger, injury, or death of the worker, the Bidder undertakes to suspend contract implementation pending clearance to resume from the DOLE Regional Office, in compliance with the Work Stoppage Order; and

- iii) Inform the workers of their conditions of work, labor clauses under the contract specifying wages, hours of work, and other benefits under prevailing national laws, rules and regulations; or CBA; or arbitration award, if and when applicable, through posting in two (2) conspicuous places in the establishment's premises.
- k) Ensured that it did not give or pay, directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel, or representative of the government in relation to any procurement project or activity.
- l) Examined all instructions, forms, terms, and specifications in the Bidding Documents.
- m) Determined and complied with all matters pertaining to the contract to be bid, including but not limited to: (i) the location and the nature of this Project; (ii) climatic conditions; (iii) transportation facilities; and (iv) other factors that may affect the cost, duration, and execution or implementation of this Project.
- n) Ensured that all information in the Bidding Documents, including bid or supplemental bid bulletin/s issued, are correct and consistent. The Procuring Entity shall not assume any responsibility regarding erroneous interpretations or conclusions by the prospective or eligible Bidder out of the data furnished by the Procuring Entity.

Failure to observe any of the above responsibilities shall be at the risk of the Bidder concerned.

- 6.4 Further, the Bidder shall bear all costs associated with the preparation and submission of its Bid, and the Procuring Entity shall in no case be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.

In case of failure of bidding, the Bidding Documents fee may be applied in the re-bidding for the same Project.

- 6.5 Furthermore, the Bidder should be aware that the Procuring Entity will accept bids only from those that have paid the applicable fee for the Bidding Documents at the office indicated in the Invitation to Bid.

## **7) Origin of Goods**

Unless otherwise indicated in the **BDS**, there is no restriction on the origin of Goods other than those prohibited by a decision of the United Nations (UN) Security Council taken under Chapter VII of the Charter of the UN.

## **8) Subcontracts**

- 8.1 Unless otherwise specified in the **BDS**, the Bidder may subcontract portions of the Goods to an extent as may be approved by the HoPE and as stated in the **BDS**. However, the subcontracted portion shall not exceed twenty percent (20%), or a different percentage of the ABC, on a per project basis, as approved by the GPPB.
- 8.2 Subcontracting of any portion of this Project shall not relieve the Bidder from any liability or obligation that may arise from the contract.
- 8.3 Subcontractors must meet the eligibility criteria and submit the same eligibility documents as the general contractor. Failure of a subcontractor to meet the eligibility criteria does not affect the eligibility of the general contractor for the Project. In such case, the portion intended to be subcontracted to the ineligible subcontractor shall be assumed by the general contractor.
- 8.4 Subcontracting arrangement, if allowed, including the time of submission of the eligibility documents of the subcontractor, shall be disclosed in the **BDS**.

## **B. Contents of Bidding Documents**

## **9) Pre-Bid Conference**

- 9.1 If so specified in the **BDS**, a pre-bid conference shall be held either at the Procuring Entity's physical address and/or online through videoconferencing, webcasting, or similar technology, or a combination thereof, on the date indicated therein, to clarify and address the Bidders' questions on the technical and financial components of this Project.
- 9.2 The pre-bid conference shall be held at least twelve (12) calendar days before the deadline for the submission and receipt of bids, but not earlier than seven (7) calendar days from the posting of the invitation to bid and other bidding documents in the PhilGEPS.
- 9.3 Bidders are highly encouraged to attend the pre-bid conference to fully understand the Procuring Entity's requirements. While non-attendance of the Bidder will in no way prejudice its bid. The Bidder is deemed to know any changes and/or amendments to the Bidding Documents, as may be provided in the Supplemental Bid Bulletin.  
  
The proceedings of the pre-bid conference shall be recorded, and the corresponding minutes shall be prepared not later than five (5) calendar days after the pre-bid conference. The minutes shall be made available to prospective Bidders not later than five (5) days upon written request.
- 9.4 Decisions of the BAC amending any provision of the Bidding Documents shall be issued in writing through a Supplemental Bid Bulletin at least seven (7) calendar days before the deadline for the submission and receipt of bids.

## **10) Clarification and Amendment of Bidding Documents**

- 10.1 Prospective Bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such request must be in writing and submitted to the BAC of the Procuring Entity at the address or electronic mail indicated in

the **BDS** or through the electronic bidding facility of PhilGEPS, as may be applicable, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

- 10.2 The BAC shall respond to the said request by issuing a Supplemental Bid Bulletin duly signed by the BAC Chairperson. It shall be made available to all those who have properly secured the Bidding Documents, at least seven (7) calendar days before the deadline for the submission and receipt of Bids.
- 10.3 Supplemental Bid Bulletins may also be issued upon the Procuring Entity's initiative for purposes of clarifying or modifying any provision of the Bidding Documents not later than seven (7) calendar days before the deadline for submission and receipt of Bids. Any modification to the Bidding Documents shall be identified as an amendment.
- 10.4 Any Supplemental Bid Bulletin issued by the BAC shall also be posted in the PhilGEPS, in any conspicuous place in the premises of the Procuring Entity, and on the website or social media platforms of the Procuring Entity, if available, or such other channels as may be authorized by the GPPB. It shall be the responsibility of all prospective Bidders, including those who have properly secured the Bidding Documents, to inquire and secure Supplemental Bid Bulletins that may be issued by the BAC. However, Bidders who have submitted bids before the issuance of the Supplemental Bid Bulletin must be accordingly informed by the BAC and be allowed to modify or withdraw their bids prior to the deadline for the submission and receipt of bids in accordance with ITB Clause 21.

## **C. Preparation of Bids**

### **11) Language of Bids**

The eligibility requirements or statements, the bids, and all other documents to be submitted to the BAC must be in English. If the eligibility requirements or statements, the bids, and all other documents submitted to the BAC are in foreign language other than English, it must be accompanied by a translation of the documents in English. The documents shall be translated by the relevant foreign government agency, the foreign government agency authorized to translate documents, or a registered translator in the foreign Bidder's country. The Bidder shall cause the authentication of the translated documents and shall be authenticated by the appropriate Philippine foreign service establishment or post or the equivalent office having jurisdiction over the foreign Bidder's affairs in the Philippines. The English translation shall govern, for purposes of interpretation of the bid.

However, for Contracting Parties to the Apostille Convention, the documents shall be authenticated through an apostille by the Competent Authority, as defined in Section 20.9.2 of [the] IRR, except for countries identified by the DFA that will still require legalization (red ribbon) by the relevant Embassy or Consulate.

### **12) Documents Comprising the Bid: Technical and Financial Components**

12.1 The first bid envelope shall contain the following technical documents, including the eligibility documents:

- i) PhilGEPS Certificate of Registration (Platinum Membership);

- ii) Statement of SLCC;
- iii) NFCC Computation or committed Line of Credit (LoC);
- iv) Statement of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid;
- v) *[if applicable]* JVA) or in the absence of a JVA, duly notarized statements from all potential JV partners stating that they will enter into and abide by the provisions of the JVA in the event that the bid is successful;
- vi) Bid Security in the prescribed form and amount in accordance with ITB Clause 16, and validity period under ITB Clause 15;
- vii) Technical Specifications, which may include production or delivery schedule, manpower requirements, or after-sales service or parts, if applicable;
- viii) Omnibus Sworn Statement; and
- ix) For foreign Bidders claiming eligibility by reason of their country's extension of reciprocal rights to Filipinos, a certification from the relevant government office of their country stating that Filipinos are allowed to participate in their government procurement activities for the same item or product.

12.2 The second bid envelope shall contain the following financial documents:

- a) Bid Form which includes the Bid price;
- b) Price Schedules in accordance with ITB Clause 13.1; and
- c) *[if applicable]* Certificate of Domestic Preference, in accordance with ITB Clause 25.

12.3 Whenever necessary, modifications may be made to the foregoing components specifically for major and specialized procurement to suit the particular needs of the Procuring Entity, subject to the approval of the GPPB.

12.4 All bids that exceed the ABC shall not be accepted, unless otherwise indicated in the **BDS**. For foreign-funded procurement, the ABC shall be applied as the ceiling to bid prices provided the following conditions are met:

- a) Bidding Documents are obtainable free of charge on a freely accessible website. If payment of Bidding Documents is required by the Procuring Entity, payment could be made upon the submission of bids.
- b) The Procuring Entity has procedures in place to ensure that the ABC is based on recent estimates made by the responsible unit of the Procuring Entity and that the estimates reflect the quality, supervision and risk, and inflationary factors, as well as prevailing market prices, associated with the types of works or goods to be procured.

- c) The Procuring Entity has trained cost estimators in estimating prices and analyzing bid variances.
- d) The Procuring Entity has established a system to monitor and report bid prices relative to ABC and engineer's/procuring entity's estimate.
- e) The Procuring Entity has established a monitoring and evaluation system for contract implementation to provide feedback on actual total costs of goods and works.

However, the GoP and the foreign government, or foreign or international financing institutions may agree to waive the foregoing conditions.

### 13) Bid Prices

13.1 The Bidder shall accomplish the Price Schedule Form as prescribed by the Procuring Entity, which may include the following details:

- a) For Goods offered from within the Philippines:
  - i) The price of the Goods quoted EXW (ex works, ex factory, ex warehouse, ex showroom, or off-the-shelf, as applicable);
  - ii) The cost of all customs duties and sales and other taxes already paid or payable;
  - iii) The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
  - iv) The price of other (incidental) services, if any, listed in the **BDS**.
- b) For Goods offered from abroad:
  - i) Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted Delivery Duty Paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
  - ii) The price of other (incidental) services, if any, listed in the **BDS**.
- c) For Services, based on the form which may be prescribed by the Procuring Entity, in accordance with existing laws, rules and regulations.

13.2 The Bidder shall accomplish the appropriate Price Schedule included herein, stating the unit prices, total price per item, the total amount and the expected countries of origin of the Goods to be supplied under this Project. The Bidder shall fill in rates and prices for all items of the Goods described in the Price Schedule, which shall be presented and computed using up to two (2) decimal places, unless otherwise indicated in the **BDS**.

13.3 If the Instructions to Bidders specifically allow partial bids, bids not addressing or providing all of the required items in the Bidding Documents including, where applicable, the Price Schedule, shall be considered non-responsive and shall

be automatically disqualified. However, when no price or a zero (0) or a dash (-) is indicated in a required item in the bid form, the same shall be construed that it is being offered for free to the Government, except those required by law or regulations to be provided for.

The terms Ex Works (EXW), Cost, Insurance and Freight (CIF), Cost and Insurance Paid to (CIP), (DDP), and other trade terms used to describe the obligations of the parties, shall be governed by the rules prescribed in the current edition of the International Commercial Terms (INCOTERMS) published by the International Chamber of Commerce, Paris.

- 13.4 Prices quoted by the Bidder shall be fixed during the Bidder's performance of the contract and not subject to variation or price escalation on any account. A bid submitted with an adjustable price quotation shall be treated as non-responsive and shall be rejected.

#### **14) Bid Currencies**

- 14.1 Prices shall be quoted in the following currencies:

- a) For Goods that the Bidder will supply from within the Philippines, the prices shall be quoted in Philippine Peso.
- b) For Goods that the Bidder will supply from outside the Philippines, the prices may be quoted in the local or tradeable currency/ies accepted by the *Bangko Sentral ng Pilipinas* (BSP), as stated in the **BDS**. However, for purposes of bid evaluation, bids denominated in foreign currencies shall be converted to Philippine currency based on the exchange rate published in the BSP Daily Reference Exchange Rate Bulletin on the day of the bid opening.

- 14.2 If so allowed in accordance with ITB Clause 14.1, the Procuring Entity, for purposes of bid evaluation and comparing the bid prices, will convert the amounts in various currencies in which the bid price is expressed to Philippine Peso at the foregoing exchange rates.

- 14.3 Unless otherwise specified in the **BDS**, payment of the contract price shall be made in Philippine Peso.

#### **15) Bid Validity**

- 15.1 Bids shall remain valid for the period specified in the **BDS** which shall not exceed one hundred twenty (120) calendar days from the date of the opening of bids.

- 15.2 Should it become necessary to extend the validity of the bids and the bid securities beyond one hundred twenty (120) calendar days, the Procuring Entity concerned shall request in writing all those who submitted bids for such extension before the expiration date therefor. Bidders, however, shall have the right to refuse to grant such extension without forfeiting their Bid Security.

#### **16) Bid Security**

- 16.1 The Bidder shall at its option, submit a Bid Security in the form and amount as stated in the **BDS**, which may include the following:

| Form of Bid Security                                                                                                                                                                                                                                                                                                                                                                     | Amount of Bid Security<br>(Not less than the required percentage of the ABC) |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| <p>1. Cash or cashier's or manager's check issued by a bank.</p> <p><i>For biddings conducted by LGUs, the Cashier's or Manager's check may be issued by other banks certified by the BSP as authorized to issue such financial instrument.</i></p>                                                                                                                                      | Two Percent (2%)                                                             |
| <p>2. Bank draft/guarantee or irrevocable LoC issued by a bank: Provided, however, that it shall be confirmed or authenticated by a local bank, if issued by a foreign bank.</p> <p><i>For biddings conducted by LGUs, Bank Draft/Guarantee, or Irrevocable Letter of Credit may be issued by other banks certified by the BSP as authorized to issue such financial instrument.</i></p> | Five Percent (5%)                                                            |
| <p>3. Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security.</p>                                                                                                                                                                                                                      | Five Percent (5%)                                                            |
| d) Bid Securing Declaration                                                                                                                                                                                                                                                                                                                                                              | Not Applicable                                                               |

The Bid Security shall be denominated in Philippine Peso and posted in favor of the Procuring Entity.

- 16.2 The Bid Security should be valid for the period specified in the **BDS**. Any bid not accompanied by an acceptable Bid Security shall be considered as non-responsive and rejected by the Procuring Entity.
- 16.3 In no case shall the Bid Security be returned later than the expiration of the bid validity period indicated in the **BDS**, unless it has been extended. In case the Bidder is required to extend its bid validity, the Bidder may, at its discretion, substitute a Bid Securing Declaration for the extended period as a replacement of its Bid Security; Provided, that the option to substitute is indicated in the **BDS**.
- 16.4 Upon signing and execution of the contract pursuant to ITB Clause 30, and the posting of the performance security pursuant to ITB Clause 31, the Bid Security of the successful Bidder will be discharged, but in no case later than its validity period as indicated in the ITB Clause 16.2.

16.5 The Bid Security may be forfeited based on any of the following grounds, as provided under Rule VIII, X, XI, and XXI of the IRR.

1. if a Bidder:

- i) Withdraws its bid during the period of bid validity specified in ITB Clause 15;
- ii) Does not accept the correction of errors pursuant to ITB Clause 26.5(b) (arithmetical error);
- iii) Has a finding against the veracity of any of the documents submitted as stated in ITB Clause 27.2;
- iv) Submits eligibility requirements containing false information or falsified documents;
- v) Submits bids that contain false information or falsified documents, or the concealment of such information in the bids to influence the outcome of eligibility screening or any other stage of the public bidding;
- vi) Allows the use of one's name, or uses the name of another for purposes of public bidding;
- vii) Refuses to accept an award or enter into contract with the Government without justifiable cause, after the Bidder had been adjudged as having submitted the Lowest Calculated Responsive Bid (LCRB), Most Economically Advantageous Responsive Bid (MEARB), or Most Advantageous Responsive Bid (MARB);
- viii) Refuses or fails to post the required performance security within the prescribed time;
- ix) Refuses to clarify or validate in writing its bid during post-qualification within a period of seven (7) calendar days from receipt of the request for clarification;
- x) Has any documented attempt by a Bidder to unduly influence the outcome of the bidding in its favor; or
- xi) Commits other acts that tend to defeat the purpose of the competitive bidding, Competitive Dialogue, Unsolicited Offer with Bid Matching and Limited Source Bidding, such as but not limited to habitually withdrawing from bidding, submitting late Bids or patently insufficient bid, for at least three (3) times within a year, except for valid reasons.

2. If a winning Bidder:

- i) Fails to sign the contract in accordance with ITB Clause 30;
- ii) Fails to furnish performance security in accordance with ITB Clause 31; or

- iii) Fails to enter into joint venture after the bid is declared successful, in the case of potential JV partners.

#### **17) Format and Signing of Bids**

- 17.1 Bidders shall submit their bids through their duly authorized representative using the appropriate forms provided in Section VIII. Philippine Bidding Document Related Forms on or before the deadline specified in ITB Clause 19 in two (2) separate sealed bid envelopes which shall be submitted simultaneously, whether through manual or online submission. The first shall contain the technical component of the bid, including the eligibility requirements under ITB Clause 12, and the second shall contain the financial component of the bid. This shall also be observed for each lot in the case of lot procurement.
- 17.2 Forms as mentioned in ITB Clause 17.1 must be completed without any alterations to their format. No substitute form shall be accepted.
- 17.3 Each and every page of the Bid Form, including the Price Schedule, under Section VIII hereof, shall be signed by the duly authorized representative/s of the Bidder. Failure to do so shall be a ground for the rejection of the bid.
- 17.4 Any insertions, erasures, or overwriting shall be valid only if they are signed or initialed by the duly authorized representative/s of the Bidder.

#### **18) Sealing and Marking of Bids**

- 18.1 Bidders shall enclose their technical documents described in ITB Clause 12 in one sealed envelope marked "TECHNICAL COMPONENT", and the financial component in another sealed envelope marked "FINANCIAL COMPONENT", sealing them all in an outer envelope marked "BID".
- 18.2 The Bid as indicated in the Bidding Documents shall be typed or written in ink and shall be signed by the Bidder or its duly authorized representative/s.
- 18.3 All envelopes shall:
  - a) contain the name of the contract to be bid in capital letters;
  - b) bear the name and address of the Bidder in capital letters;
  - c) be addressed to the Procuring Entity's BAC in accordance with ITB Clause 1.1;
  - d) bear the specific identification of this bidding process indicated in the ITB Clause 1.1; and
  - e) bear a warning "DO NOT OPEN BEFORE..." the date and time for the opening of bids, in accordance with ITB Clause 19.
- 18.4 For manually submitted bid envelopes that are not properly sealed and marked, as required in the Bidding Documents, the same shall be accepted; Provided, That the Bidder or its duly authorized representative shall acknowledge such condition of the bid as submitted. On the other hand, unsealed or unmarked bid envelopes, or bids that cannot be opened or corrupted in case of online submission, shall be rejected.

The BAC shall assume no responsibility for misplaced or lost contents of the improperly sealed or marked bid, or for its premature opening.

## **D. Submission and Opening of Bids**

### **19) Deadline for Submission of Bids**

Bids must be received by the Procuring Entity's BAC at the address indicated in the Invitation to bid, or through the e-bidding facility of the PhilGEPS on or before the date and time indicated in the **BDS**.

### **20) Late Bids**

Bids, including the eligibility requirements, submitted after the deadline shall be rejected by the BAC. The BAC shall record in the Minutes of the Meeting the submission and opening of bids, the Bidder's name, its representative, and the time the late bid was submitted.

### **21) Modification and Withdrawal of Bids**

21.1 Bidders may modify their bids before the deadline for the submission and receipt of bids.

- a) For manual submission and receipt of bids, the Bidders shall not be allowed to retrieve their original bid but shall only be allowed to submit the bid modification by sending another bid, equally sealed, properly identified, linked to their original bid, marked as a "modification," thereof, and stamped "received" by the BAC. Bid modifications received after the applicable deadline shall not be considered and shall be returned to the Bidder unopened.
- b) For online submission of bids, the Bidders shall not be allowed to retrieve their original Bid, but shall only be allowed to submit the bid modification, send another Bid equally secured, properly identified labelled as a "modification" of the one previously submitted. The time indicated in the latest bid receipt page generated shall be the official time of submission. Bids modification submitted after the applicable deadline shall not be accepted.

21.2 Bidders may withdraw their bids in writing before the deadline for submission and receipt of bids. Withdrawal of bids after the applicable deadline shall be subject to appropriate sanctions as prescribed in the IRR.

Bidders may also express their intention not to participate in the bidding in writing, which should be received by the BAC before the deadline for submission and receipt of bids. Bidders that withdraw their bids shall no longer be allowed to submit another bid for the same contract, directly or indirectly.

21.3 No bid may be modified after the deadline for submission and receipt of bids. Further, no bid may be withdrawn in the interval between the deadline for submission and receipt of bids, and the expiration of bid validity specified by the Bidder in the Financial Bid Form. Withdrawal of bid during this interval shall result in the forfeiture of the Bidder's Bid Security pursuant to ITB Clause 16.5, and the imposition of administrative sanctions as prescribed by RA No. 12009,

and without prejudice to the imposition of civil and criminal sanctions as provided under applicable laws.

- 21.4 Alternative Bids shall be rejected. For this purpose, Alternative Bid shall pertain to an offer made by a Bidder in addition or as a substitute to its original bid, which may be included as part of its original bid or submitted separately. A bid with options shall likewise be considered an Alternative Bid regardless of whether said bid proposal is contained in a single envelope or submitted in two (2) or more separate bid envelopes.
- 21.5 Each Bidder shall submit only one Bid, either individually or as a partner in a JV. Bidder who submits or participates in more than one bid (other than as a subcontractor if a subcontractor is permitted to participate in more than one bid) will cause all the proposals with the Bidder's participation to be disqualified. This shall be without prejudice to any applicable criminal, civil, and administrative penalties that may be imposed upon the persons and entities concerned.

## **22) Opening and Preliminary Examination of Bids**

- 22.1 The BAC shall open the bids in public, immediately after the deadline for submission and receipt of bids, as specified in the **BDS**. In case the Bids cannot be opened as scheduled due to justifiable reasons, the BAC shall take custody of the submitted Bids and reschedule the opening of Bids on the next working day or at the soonest possible time, through the issuance of a notice of postponement to be posted on the PhilGEPS website and the website of the Procuring Entity concerned.
- 22.2 The manner of opening of the bids for Goods shall depend on the award criterion to be adopted as follows:
- a) For LCRB and MEARB, the BAC shall open the technical and financial proposals on the same day; and
  - b) For MARB, only the technical proposals shall be opened on the same day while the financial proposals shall remain unopened and shall be kept securely by the BAC until the specified time of their opening as indicated in the **BDS**. Only the financial proposals of the Bidders who have met the highest technical score for Most Advantageous Bid (MAB) shall be opened.
- 22.3 The Procuring Entity shall prepare the minutes of the proceedings of the bid opening that shall include, as a minimum: (a) names of Bidders, their bid price (per lot, if applicable, and/or including discount, if any), bid security, findings of preliminary examination, and whether there is a withdrawal or modification; and (b) attendance sheet. The BAC members shall sign the abstract of bids as read.
- 22.4 The Bidders or their duly authorized representatives may attend the opening of bids. The BAC shall ensure the integrity, security, and confidentiality of all submitted bids. The Abstract of Bids, as read, and the minutes of the bid opening shall be made available to the public, upon written request and payment of a specified fee to recover the cost of materials.
- 22.5 To ensure transparency and accurate representation of the bid submission, the BAC Secretariat, shall notify in writing all Bidders whose bids it has received

through its PhilGEPS-registered physical address or official e-mail address. The said notice shall be issued within seven (7) calendar days from the date of the bid opening.

## **E. Evaluation and Comparison of Bids**

### **23) Process to be Confidential**

- 23.1 Members of the BAC, its staff and personnel, Secretariat, and TWG, as well as Observers, are prohibited from making or accepting any communication with any Bidder regarding the evaluation of their bids until the issuance of the Notice of Award, unless otherwise allowed in ITB Clause 24.
- 23.2 Any effort by a Bidder to influence the Procuring Entity in its decision in respect of bid evaluation, bid comparison or contract award will result in the rejection of the bid.

### **24) Clarification of Bids**

To assist in the evaluation, comparison, and post-qualification of the bids, the Procuring Entity may ask in writing any Bidder for a clarification of its bid. All responses to requests for clarification shall be in writing. Any clarification submitted by a Bidder in respect to its bid that is not in response to the request of the Procuring Entity shall not be considered.

### **25) Domestic Preference**

- 25.1 The Procuring Entity shall give priority and preference to Philippine products and services. The preference and priority for Philippine products shall be guaranteed at all levels of the procurement process, including raw materials, ingredients, supplies, or fixtures.
- 25.2 For a period of ten (10) years from the effectivity of RA No. 11981 or the "*Tatak Pinoy* (Proudly Filipino) Act," and for Philippine products and services in sectors and economic activities covered by the prevailing *Tatak Pinoy* Strategy, the Procuring Entity is mandated to award the contract to the domestic Bidder for Philippine products and services in sectors and economic activities covered by the prevailing *Tatak Pinoy* Strategy (TPS).

Domestic Bidder, for purposes of this provision, refers to any person or entity offering unmanufactured articles, materials, or supplies grown or produced in the Philippines, or manufactured articles, materials, or supplies manufactured or to be manufactured in the Philippines substantially from articles, materials, or supplies that are or will be produced or manufactured in the Philippines, as the case may be.

- 25.3 After the said ten-year period, the domestic preference shall be subject to a margin of preference to be determined by the *Tatak Pinoy* Council which shall not be lower than fifteen percent (15%).
- 25.4 For products and services governed by the TPS, the domestic preference in procurement shall be in accordance with the IRR or guidelines issued for the *Tatak Pinoy* Act.

- 25.5 The Procuring Entity shall award the Project to the domestic Bidder if the bid is not more than twenty-five percent (25%) in excess of the lowest foreign bid. The margin of preference provided herein shall be subject to periodic review and adjustment by the GPPB, as may be necessary.
- 25.6 A Domestic Bidder can only claim preference if it secures from the appropriate agency a certification that the articles forming part of its bid are substantially composed of articles, materials, or supplies grown, produced, or manufactured in the Philippines.
- 25.7 The preference herein established may be waived should any of the following conditions be present as provided in the **BDS**:
- a) Where domestic production is insufficient or unavailable in the required commercial quantities;
  - b) Where the specific or desired quality is not met;
  - c) Where domestic preference will result in inconsistencies with the Philippines' obligations under treaty or international or executive agreements; or
  - d) Other analogous circumstances.

**26) Detailed Evaluation and Comparison of Bids**

- 26.1 The Procuring Entity's evaluation of bids shall be based on the bid price quoted in the Bid Form, which includes the Price Schedule.
- 26.2 The Procuring Entity will undertake the detailed evaluation and comparison of the bids which have passed the opening and preliminary examination of bids, pursuant to ITB Clause 22, to determine the Lowest Calculated Bid (LCB), Most Economically Advantageous Bid (MEAB), and MAB.
- 26.3 The award criterion shall be determined as follows:
- a) For LCB
    - i) The detailed evaluation of the financial component of the bids, to establish the correct calculated prices of the bids; and
    - ii) The ranking of the total bid prices as so calculated from the lowest to the highest, where the bid with the lowest price shall be identified as the LCB.
  - b) For MEAB, the BAC shall evaluate the quality and price proposals to determine the Most Economically Advantageous Bid (MEAB) using the following steps:
    - i) The quality proposal together with the price proposal shall be considered in the evaluation of bids. The quality proposals shall be evaluated first using the criteria in the **BDS**. The price proposals of the bids that meet the minimum quality score shall then be opened.

- ii) The price and quality proposals shall be given corresponding weights with the price proposal given a minimum weight of fifteen percent (15%) up to a maximum of forty percent (40%). The weight of the quality criteria shall be adjusted accordingly such that their total weight in percent together with the weight given to the price proposal shall be equal to one hundred percent (100%).
- iii) To further promote green public procurement, the sustainability of products, or materials with green specifications shall be given greater weight in the evaluation of bids. As approved by the BAC, the exact weights shall be indicated in the **BDS**. The BAC shall rank the Bidders in descending order based on the combined numerical ratings of their quality and price proposals. The Bidder with the best overall score using the quality-price ratio shall be referred to as the MEAB.
- iv) The HoPE shall approve or disapprove the recommendations of the BAC within two (2) calendar days after receipt of the results of the evaluation from the BAC.

c) For MAB

- i) BAC shall evaluate the quality proposals to determine the MAB using the quality components. The quality components shall be assessed on the basis of the criteria with corresponding numerical weights indicated in the **BDS** to determine the Bidder with the highest technical rating.
- ii) The second bid envelope of the Bidder obtaining the highest technical rating shall be opened. If the financial proposal is equal to or lower than the ABC, the bid shall be accepted and determined as the MAB; otherwise, the same shall be rejected and the Bidder will be disqualified.

26.4 In order to eliminate bias in evaluating the quality proposals, it is recommended that the highest and lowest scores for each Bidder for each criterion shall not be considered in determining the average scores of the Bidders, except when the evaluation is conducted in a collegial manner.

26.5 The BAC shall immediately conduct a detailed evaluation of all bids using non-discretionary criteria in considering the following:

- a) Completeness of the bid. Unless the **BDS** allows partial bids, bids not addressing or providing all of the required items in the **BDS**, shall be considered non-responsive and, thus, automatically disqualified.

However, when no price or a zero (0) or a dash (-) is indicated in a required item in the bid form, the same shall be construed that it is being offered for free to the Government, except those required by law or regulations to be provided for; and

- b) Arithmetical corrections. The BAC shall apply arithmetical corrections on computational errors and omissions to enable proper comparison of all eligible bids. Bid corrections may also be considered if expressly allowed

in the **BDS**. Any adjustment shall be calculated in monetary terms to determine the calculated prices.

- 26.6 Based on the detailed evaluation of bids, those that comply with the above-mentioned requirements shall be ranked in the ascending order of their total calculated bid prices, as evaluated and corrected for computational errors, discounts and other modifications, to identify the LCB, MEAB, or MAB. Total calculated bid prices, as evaluated and corrected for computational errors, discounts and other modifications, which exceed the ABC shall not be considered, unless otherwise indicated in the **BDS**.
- 26.7 The BAC shall evaluate all bids on an equal footing to ensure fair and competitive bid comparison. For this purpose, all Bidders shall be required to include in their bids the cost of all taxes, such as, but not limited to, value added tax (VAT), income tax, local taxes, and other fiscal levies and duties, whichever is applicable, as itemized in the bid form and reflected in the detailed estimates. Such bids, including said taxes, shall be the basis for bid evaluation and comparison.
- 26.8 If so indicated pursuant to ITB Clause 1.2, bids may be submitted for individual lots or for any combination thereof, provided that all bids and combinations of bids shall be received by the same deadline and opened and evaluated simultaneously so as to determine the Bid or combination of Bids offering the lowest calculated cost to the Procuring Entity. Bid prices quoted shall correspond to all items specified for each lot and to all quantities specified for each item of a lot. Bid Security as required by ITB Clause 16 shall be submitted for each contract (lot) separately. The basis for evaluation of lots is specified in **BDS** Clause 26.5.
- 26.9 In order to eliminate bias in evaluating the quality proposals, it is recommended that the highest and lowest scores for each Bidder for each criterion shall not be considered in determining the average scores of the Bidders, except when the evaluation is conducted in a collegial manner.

## **27) Post-Qualification**

- 27.1 The BAC shall determine to its satisfaction whether the Bidder that is evaluated as having submitted the LCB, MEAB, or MAB as the case may be, complies with and is responsive to all the requirements and conditions specified in ITB Clauses 5, 12.1, and 12.2. The Bidder, within five (5) calendar days from receipt of notice from the BAC that it submitted the LCB, MEAB, or MAB shall submit all the eligibility documents supporting its PhilGEPS Certificate of Registration (Platinum Membership), its latest income and business tax returns filed for the preceding quarter which should not be earlier than two (2) quarters from the date of submission and receipt of bid, and other appropriate licenses and permits required by law and stated in the **BDS**.
- 27.2 Failure to submit any of the post-qualification requirements on time, or a finding against the veracity thereof, shall disqualify the Bidder for award; Provided, That in the event that a finding against the veracity of any of the documents submitted is made, it shall cause the forfeiture of the Bid Security.
- 27.3 The determination shall be based upon an examination of the documentary evidence of the Bidder's qualifications submitted pursuant to ITB Clauses 12.1 and 12.2, as well as other information as the Procuring Entity deems necessary

and appropriate, using a non-discretionary "pass/fail" criterion, which shall be completed within a period of twelve (12) calendar days.

- 27.4 If the BAC determines that the Bidder with the LCB, MEAB, or MAB fails to meet the post-qualification criteria, it shall immediately notify the said Bidder in writing of its post-disqualification and the grounds for such determination.
- 27.5 Immediately after the BAC has notified the first Bidder of its post-disqualification, and notwithstanding any pending request for reconsideration thereof, the BAC shall initiate and complete the same post-qualification process on the Bidder with the second LCB, MEAB, or MAB. If the second Bidder passes the post-qualification and the request for reconsideration of the first Bidder has been denied, the second Bidder shall be post-qualified as the Bidder with the LCB, MEAB, or MAB.
- 27.6 If the second Bidder, however, fails the post-qualification, the procedure for post-qualification shall be repeated for the Bidder with the next LCB, MEAB, or MAB and so on, until the LCRB, MEARB, MARB, as the case may be, is determined for award, subject to the procedure of Notice and Execution of Award.
- 27.7 If the BAC determines that the Bidder with the LCB, MEAB, or MAB passes all the criteria for post-qualification, it shall declare the said bid as the LCRB, MEARB, MARB, Single Calculated Responsive Bid (SCRB), Single Economically Advantageous Responsive Bid (SEARB), or Single Advantageous Bid (SARB).
- 27.8 Within a period not exceeding ten (10) calendar days from the determination and declaration through a resolution by the BAC of the LCRB, MEARB, MARB, SCRБ, SEARB, or SARB, as the case may be, and the recommendation of the award, the HoPE or its duly authorized representative shall approve or disapprove the said recommendation.
- 27.9 In case of approval, the HoPE or its duly authorized representative shall immediately issue the Notice of Award to the Bidder with the LCRB, MEARB, MARB, SCRБ, SEARB, or SARB, as the case may be.

In the event that the approving authority shall disapprove the resolution on the award of the contract, such disapproval shall be based only on valid, reasonable, and justifiable grounds to be expressed in writing. A copy of the decision disapproving the resolution shall be furnished to the BAC and the Bidder.

## **28) Reservation Clause**

- 28.1 Notwithstanding the eligibility or post-qualification of a Bidder and without incurring any liability, the HoPE or its duly authorized representative at any stage of the procurement, reserves the right to review its qualifications, reject any and all bids, declare a failure of bidding or not award the contract in the following situations:
  - a) If it has reasonable grounds to believe that a misrepresentation has been made by the said Bidder, or that there has been a change in the Bidder's capability to undertake the project from the time it submitted its eligibility requirements.

- b) Should such review uncover any misrepresentation made in the eligibility and bidding requirements, statements or documents, or any changes in the situation of the Bidder which will adversely affect its capability to undertake the Project so that it no longer meets the prescribed eligibility or bid evaluation criteria, the Procuring Entity shall consider the said Bidder as ineligible and disqualify it from participating further in the bidding process or being awarded the contract.

28.2 Based on any of the following grounds, the Procuring Entity reserves the right to reject any and all bids, declare a Failure of Bidding at any time prior to the contract award, or not to award the contract, without thereby incurring any liability, and make no assurance that a contract shall be entered into as a result of the bidding:

- a) If there is *prima facie* evidence of collusion between appropriate public officers or employees of the Procuring Entity, or between the BAC and any of the Bidders, or if the collusion is between or among the Bidders themselves, or between a Bidder and a third party, including any act which restricts, suppresses or nullifies, or tends to restrict, suppress or nullify competition or influences or tends to influence the bidding process;
- b) If the BAC is found to have failed in complying with the applicable law or in following the prescribed bidding procedures; or
- c) If there are any justifiable and reasonable ground where the award of the contract will not redound to the benefit of the government, in instances where (i) the physical and economic conditions have significantly changed so as to render the Project no longer economically, financially, or technically feasible as determined by the HoPE; (ii) the Project is no longer necessary as determined by the HoPE; and (iii) the source of funds for the Project has been withheld or reduced through no fault of the Procuring Entity.

## **F. Award of Contract**

### **29) Contract Award**

- 29.1 Subject to ITB Clause 27, the HoPE or its duly authorized representative shall award the contract to the Bidder whose bid has been determined to be the LCRB, MEARB, MARB, SCRB, SEARB, or SARB, as the case may be.
- 29.2 Prior to the expiration of the period of bid validity, the Procuring Entity shall notify the successful Bidder in writing that its bid has been accepted, through a Notice of Award duly received by the Bidder or its representative personally or sent by registered mail or electronically, receipt of which must be confirmed in writing within two (2) days by the Bidder with the LCRB, MEARB, MARB, SCRB, SEARB, or SARB, as applicable and submitted personally or sent by registered mail or electronically to the Procuring Entity.
- 29.3 Within ten (10) calendar days from receipt by the winning Bidder of the Notice of Award, the following conditions should be complied with before the contract may be awarded:

- a) Submission of the following documents:
    - i) Valid JVA, if applicable; or
    - ii) The SEC Certificate of Registration of the foreign corporation, if applicable.
  - b) Posting of the performance security in accordance with ITB Clause 31; and
  - c) Signing of the contract as provided in ITB Clause 30.
- 29.4 At the time of contract award, the Procuring Entity shall not increase or decrease the quantity of goods originally specified in Section VI. Schedule of Requirements.

### **30) Signing of the Contract**

- 30.1 Within ten (10) calendar days from receipt of the Notice of Award, the winning Bidder shall (i) post the required performance security, sign and date the contract, and return it to the Procuring Entity.
- 30.2 The Procuring Entity shall enter into a contract with the successful Bidder within the same ten (10) calendar day period, provided that all the documentary requirements are complied with.
- 30.3 The following documents shall form part of the contract:
  - a) Contract Agreement;
  - b) Bidding Documents;
  - c) Winning Bidder's bid, including the technical and financial proposals, and all other documents/statements submitted (e.g., Bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;
  - d) Performance Security;
  - e) Notice of Award of Contract; and
  - f) Other contract documents that may be required by existing laws and/or specified in the **BDS**.

### **31) Performance Security**

- 31.1 To guarantee the faithful performance of its obligations under the contract, the winning Bidder shall post a performance security prior to the signing of the contract. Furthermore, the successful Bidder shall be required to update the performance security posted before the issuance of an amendment to order if any.
- 31.2 Sectors enumerated under Section 76.1 of the IRR may be allowed to post a Performance Securing Declaration (PSD) as specified in the **BDS**.

- 31.3 The performance security shall be in any form selected by the Procuring Entity in the amount indicated in the **BDS**, which shall not be less than the percentage of the ABC in accordance with the following price schedule:

| Form of Performance Security                                                                                                                                                                                                                        | Amount of Performance Security<br>(Not less than the Percentage of the<br>Total Contract Price) |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|
| <p>a. Cash or Cashier's or Manager's check issued by a bank.</p> <p><i>For biddings conducted by LGUs, the Cashier's or Manager's check may be issued by other banks certified by the BSP as authorized to issue such financial instrument.</i></p> | Five percent (5%)                                                                               |
| <p>b. Bank draft or guarantee or irrevocable Letter of Credit issued by a local bank. If issued by a foreign bank, it shall be confirmed or authenticated by a local bank.</p>                                                                      |                                                                                                 |
| <p>ii. Surety bond callable upon demand issued by a surety or insurance company duly certified by the IC as authorized to issue such security.</p>                                                                                                  | Thirty Percent (30%)                                                                            |

- 31.4 The performance security shall be denominated in Philippine Peso and posted in favor of the Procuring Entity, which shall be forfeited in the event it is established that the winning Bidder is in default in any of its obligations under the contract.

## 32) Notice to Proceed

The Procuring Entity shall issue the Notice to Proceed to the winning Bidder not later than three (3) calendar days from the date of approval of the contract by the appropriate signatories. All notices called for by the terms of the contract shall be effective only at the time of receipt thereof by the successful Bidder.

## 33) Protest Mechanism

Decisions of the BAC in all stages of procurement may be protested to the HoPE in accordance with Section 83 of the IRR.

### ***Section III. Bid Data Sheet***

## Bid Data Sheet

| ITB Clause  |                                                                                                                                                                                                                                                                                                      |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1.1         | <p>The Procuring Entity is the Securities and Exchange Commission.</p> <p>The Project title is Procurement of Portable Data Racks and Comprehensive IT Infrastructure Maintenance Services for SEC Offices.</p> <p>The identification number of the Contract is Competitive Bidding No. 2026-11.</p> |
| 1.2         | The number of lot(s): one (1)                                                                                                                                                                                                                                                                        |
| 2           | <p>The Funding Source is:</p> <p>2.1 The GoP through the source of funding as indicated below for FY 2026 in the amount of Fifty-Nine Million Two Hundred Fifty Thousand Pesos (Php59,250,000.00).</p> <p>2.2 The source of funding is FY 2026 Annual Operating Budget of SEC</p>                    |
| 3.1         | No further instructions.                                                                                                                                                                                                                                                                             |
| 5.2         | Foreign Bidders, except those falling under ITB Clause 5.2(b), may not participate in this Project.                                                                                                                                                                                                  |
| 5.4         | The Bidder's SLCC similar to the contract to be bid should have been completed within five (5) years prior to the deadline for the submission and receipt of bids.                                                                                                                                   |
| 5.5         | Similar contract shall refer to any contract similar to provision and maintenance of data center facilities                                                                                                                                                                                          |
| 7           | No further instructions.                                                                                                                                                                                                                                                                             |
| 8.1         | Subcontracting is not allowed.                                                                                                                                                                                                                                                                       |
| 8.4         | Not Applicable.                                                                                                                                                                                                                                                                                      |
| 9.1         | The Procuring Entity will hold a pre-bid conference for this Project on 08 May 2026, 10:00AM at the MSD Conference Room, 7/F The SEC Headquarters, 7907 Makati Ave., Salcedo Village, Bel-Air, Makati City and through video-conferencing/webcasting via Zoom application.                           |
| 10.1        | <p>The Procuring Entity's address is:</p> <p>Oliver O. Leonardo<br/>BAC Chairman for IT Goods and Services<br/>The SEC Headquarters, 7907 Makati Ave.<br/>Salcedo Village, Bel-Air, Makati City<br/>8818-5330<br/>fpbaluyot@sec.gov.ph<br/>www.sec.gov.ph</p>                                        |
| 12.4        | The ABC is Fifty-Nine Million Two Hundred Fifty Thousand Pesos (Php59,250,000.00). Any bid with a financial component exceeding the amount shall not be accepted.                                                                                                                                    |
| 13.1(a)(iv) | No incidental services are required.                                                                                                                                                                                                                                                                 |

|             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 13.1(b)(i)  | Not applicable. The price of the Goods shall be quoted DDP Philippine Peso.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| 13.1(b)(ii) | No incidental services are required.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| 13.2        | No further instructions.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 14.1(b)     | The Bid prices for Goods supplied from outside of the Philippines shall be quoted in Philippine Peso.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 14.3        | Not applicable.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 15.1        | Bids will be valid for ninety (90) days from bid opening.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 16.1        | <p>The Bid Security shall be in the form of a Bid Securing Declaration, or any of the following:</p> <ol style="list-style-type: none"> <li>1) The amount of not less than Php1,185,000.00, if bid security is in cash or cashier's/manager's check; or</li> <li>2) The amount of not less than Php2,962,500.00, if bid security is in bank draft or guarantee or irrevocable LoC or Surety Bond.</li> </ol>                                                                                                                                                                                                                                              |
| 16.2        | The Bid Security shall be valid until 20 August 2026.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 16.3        | <p>In case of extension of bid validity and bid security validity period, substitution of the bid security form is allowed. Any of the following forms may be used:</p> <ol style="list-style-type: none"> <li>a) Cash or Cashier's or Manager's Check issued by a Bank.</li> <li>b) Bank draft/guarantee or irrevocable Letter of Credit issued by a Bank: Provided, however, that it shall be confirmed or authenticated by a local Bank, if issued by a foreign bank.</li> <li>c) Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security.</li> </ol> |
| 18          | Each Bidder shall submit one (1) originally signed certified true copy of the original documents and electronic copy of first and second components of bids shall be submitted upon instructions of the BAC thru the BAC Secretariat at any time after the opening of bids. Bidders must arrange each bid document into sections with tabs properly labeled separating each document according to the provided checklist.                                                                                                                                                                                                                                 |
| 19          | <p>The address for the submission of Bids is Procurement Unit, Management Services Department, 7/F The SEC Headquarters, 7907 Makati Ave., Salcedo Village, Bel-Air, Makati City.</p> <p>The deadline for the submission of Bids is <b>22 May 2026, 10:00AM</b>.</p>                                                                                                                                                                                                                                                                                                                                                                                      |
| 22.1        | <p>The place of the bid opening is MSD Conference Room, 7/F The SEC Headquarters, 7907 Makati Ave., Salcedo Village, Bel-Air, Makati City.</p> <p>The date and time of bid opening is <b>22 May 2026, 10:15AM</b>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                    |

|              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 22.2(b)      | Not applicable.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| 25.7         | No further instructions.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| 26.3(b)(i)   | Not applicable.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| 26.3(b)(iii) | Not applicable.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| 26.3(c)(i)   | Not applicable.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| 26.5(a)      | Partial bid is not allowed. The goods are grouped in a single lot and the lot shall not be divided into sub-lots for the purpose of bidding, evaluation, and contract award.                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 26.5(b)      | Arithmetical correction is not allowed.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 26.6         | No further instructions.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| 27.1         | <p>The Bidder with Lowest Calculated Bid shall submit ALL of the following post-qualification requirements:</p> <ol style="list-style-type: none"> <li>1. All the eligibility documents supporting the PhilGEPS Certificate of Registration (Platinum Membership);</li> <li>2. Latest Income Tax Returns filed and paid through the Electronic Filing and Payments System (EFPS); and</li> <li>3. Quarterly VAT Returns (Form 2550Q) with proof of filing and/or payment within the last six (6) months preceding the date of bid submission.</li> <li>4. Other documentary requirements required in the technical specifications.</li> </ol> |
| 30.3(f)      | No additional requirements.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 31.2         | Not applicable                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 31.3         | <p>The Performance Security shall be in the form:</p> <ol style="list-style-type: none"> <li>1) The amount of not less than 5% of the Contract Price, if performance security is in cash or cashier's/manager's check or bank draft/guarantee or irrevocable LoC; or</li> <li>2) The amount of not less than 30% of the Contract Price, if performance security is Surety Bond.</li> </ol>                                                                                                                                                                                                                                                    |

#### ***Section IV. General Conditions of Contract***

## Table of Contents

|                                                                |           |
|----------------------------------------------------------------|-----------|
| <b>Section IV. General Conditions of Contract.....</b>         | <b>45</b> |
| 1) General Terms.....                                          | 47        |
| 2) Corrupt, Fraudulent, Collusive, and Coercive Practices..... | 47        |
| 3) Inspection and Audit by the Funding Source .....            | 47        |
| 4) Governing Law and Language.....                             | 47        |
| 5) Notices.....                                                | 47        |
| 6) Scope of Contract .....                                     | 48        |
| 7) Subcontracting .....                                        | 48        |
| 8) Procuring Entity's Responsibilities .....                   | 49        |
| 9) Prices.....                                                 | 49        |
| 10) Advance Payment.....                                       | 49        |
| 11) Payment .....                                              | 50        |
| 12) Taxes and Duties .....                                     | 51        |
| 13) Performance Security.....                                  | 51        |
| 14) Use of Contract Documents and Information .....            | 51        |
| 15) Standards.....                                             | 52        |
| 16) Inspection and Tests .....                                 | 52        |
| 17) Warranty.....                                              | 52        |
| 18) Delays in the Supplier's Performance .....                 | 53        |
| 19) Liquidated Damages .....                                   | 53        |
| 20) Settlement of Disputes .....                               | 54        |
| 21) Liability of the Supplier.....                             | 55        |
| 22) Termination for Breach of Contract.....                    | 55        |
| 23) Termination Due to Force Majeure .....                     | 55        |
| 24) Termination for Convenience.....                           | 56        |
| 25) Termination for Unlawful Acts.....                         | 56        |
| 26) Procedures for Termination of Contracts .....              | 57        |
| 27) Assignment of Rights .....                                 | 58        |
| 28) Amendment to Order.....                                    | 58        |
| 29) Application.....                                           | 58        |
| <b>Section V. Special Conditions of Contract.....</b>          | <b>59</b> |

## **2) General Terms**

In this Contract, the following terms shall be interpreted as indicated:

- a) "The Procuring Entity" means the organization purchasing the Goods, as named in the SCC.
- b) "The Supplier" means the individual contractor, manufacturer distributor, or firm supplying/manufacturing the Goods and Services under this Contract and named in the SCC.
- c) The "Funding Source" means the organization named in the SCC.
- d) "The Project Site" where applicable, means the place or places named in the SCC.

## **3) Corrupt, Fraudulent, Collusive, and Coercive Practices**

Unless otherwise provided in the SCC, the Procuring Entity as well as the Bidders, Contractors, or Suppliers shall observe the highest standard of ethics during the procurement and execution of this Contract. Further the Funding Source, as appropriate, will seek to impose the maximum civil, administrative, and/or criminal penalties available under the applicable law on individuals and organizations deemed to be involved with any of the practices mentioned in ITB Clause 3.1(a).

## **4) Inspection and Audit by the Funding Source**

The Supplier shall allow the Funding Source to inspect its accounts and records related to the performance of its obligations. If the Funding Source requires a separate audit, it shall appoint its auditor and bear the cost thereof.

## **5) Governing Law and Language**

- 4.1 This Contract shall be interpreted in accordance with the laws of the Republic of the Philippines.
- 4.2 This Contract has been executed in the English language, which shall be the binding and controlling language for all matters relating to the meaning or interpretation of this Contract. All correspondence and other documents pertaining to this Contract exchanged by the parties shall be written in English.

## **6) Notices**

- 5.1 Any notice, request, or consent required or permitted to be given or made pursuant to this Contract shall be in writing. Any such notice, request, or consent shall be deemed to have been given or made when received by the concerned party, either in person or through an authorized representative of the Party to whom the communication is addressed, or when sent by registered mail or electronic mail, to such Party at the address specified in the SCC, which shall be effective when delivered and duly received, as may be applicable.
- 5.2 A Party may change its address upon notice pursuant to the provisions listed in the SCC.

## **7) Scope of Contract**

- 6.1 The Goods to be provided shall be as specified in Section VI. Schedule of Requirements.
- 6.2 This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. Any additional requirements for the completion of this Contract shall be provided in the **SCC**.

## **8) Subcontracting**

- 7.1 For subcontracting arrangements, the following rules shall apply for both locally-funded projects and projects financed through Official Development Assistance, except those covered by treaty, or international, or executive agreements.

- a) The subcontracted portion of the contract shall be subject to the approval of the HoPE and the following conditions:
  - i) The subcontracted portion shall not exceed twenty percent (20%) for Goods, or a different percentage on a per project basis, as approved by the GPPB. The threshold percentages fixed herein shall be subject to the periodic review and adjustments as may be deemed appropriate by the GPPB; and
  - ii) The subcontracted portion shall be limited to components that are not deemed "significant or material" to the Project, as determined by the Procuring Entity.
- b) Subcontracting arrangement, if allowed, including the time of submission of the eligibility documents of the subcontractor, shall be disclosed in the Bidding Documents;
- c) Subcontractors must meet the eligibility criteria and submit the same eligibility documents as the general contractor.

Failure of a subcontractor to meet the eligibility criteria does not affect the eligibility of the general contractor for the procurement project. In such case, the portion intended to be subcontracted to the ineligible subcontractor shall be assumed by the general contractor;

- d) The general contractor shall remain liable for the subcontractor's actions, defaults, delays, and negligence;
- e) The general contractor and the subcontractor are obliged to comply with the provisions of the contract and shall share liability, jointly and severally, in cases of violation of safety standards or other labor standards insofar as the subcontracted portion is concerned; and

- f) For purposes of post-qualification in accordance with its objective and process under the IRR, the value of the entire completed and accepted Project, including the subcontracted portion, shall be credited as experience of the general contractor. In the case of the subcontractor, the following rules shall apply:
  - i) The subcontractor shall get credit for one hundred percent (100%) of the value of the subcontracted portion of the project performed; and
  - ii) Subcontractors shall be eligible to concessional windows of GFIs that treat receivables from the government as loan security; the receivables of subcontractors due from their general contractor shall similarly be accepted as loan security by GFIs.

## **9) Procuring Entity's Responsibilities**

- 8.1 Whenever the performance of the obligations in this Contract requires that the Supplier obtain permits, approvals, import, and other licenses from local public authorities, the Procuring Entity may assist the Supplier in complying with such requirements in a timely and expeditious manner.
- 8.2 The Procuring Entity shall pay all costs involved in the performance of its responsibilities in accordance with the Scope of Contract.

## **10) Prices**

- 9.1 For goods and services covered under this Contract, as awarded, all bid prices shall be deemed fixed and not subject to price escalation during contract implementation, except as otherwise provided in the succeeding provisions.
- 9.2 Prices charged by the Supplier for Goods delivered and/or services performed under this Contract shall not vary from the prices quoted by the Supplier in its bid, unless there is a change in price resulting from Amendment to Order issued in accordance with **GCC Clause 28**.

## **11) Advance Payment**

- 10.1 For Goods sourced from within the Philippines, advance payments may be made as follows:
  - a) A single advance payment not to exceed fifty percent (50%) of the contract amount shall be allowed for contracts entered into by a Procuring Entity for the following services where the requirement of down payment is a standard industry practice: 1) hotel and restaurant services; 2) use of conference/seminar and exhibit areas; and 3) lease of office space;
  - b) Advance payment not to exceed fifteen percent (15%) of the contract amount, unless otherwise directed by the President, shall also be allowed for procurement of goods required to address contingencies arising from natural or man-made calamities in areas where a "State of Calamity" has been declared by appropriate authorities; and
  - c) Upon submission of an irrevocable Letter of Credit (LoC) or bank guarantee issued by local bank, advance payment not exceeding fifteen percent (15%) of the contract amount shall be allowed and paid to the Supplier within

sixty (60) calendar days from the signing of the contract. The irrevocable LoC or bank guarantee, which must be for an equivalent amount, shall remain valid until the goods are delivered, and accompanied by a claim for advance payment.

10.2 For Goods supplied from abroad, unless otherwise indicated in the **SCC**, the terms of payment shall be as follows:

- a) Upon Contract Signing: Fifteen Percent (15%) of the Contract Price shall be paid within sixty (60) days from signing of the Contract and upon submission of a claim and a bank guarantee for the equivalent amount valid until the Goods are delivered and in the form provided in Section VIII. PBD Related Forms.
- b) Upon Delivery: Sixty-five percent (65%) of the Contract Price shall be paid to the Supplier within sixty (60) days after the date of receipt of the Goods and upon submission of the documents (i) through (vi) specified in the SCC provision on Delivery and Documents.
- c) Upon Acceptance: The remaining twenty percent (20%) of the Contract Price shall be paid to the Supplier within sixty (60) days after the date of submission of the acceptance and inspection certificate for the respective delivery issued by the Procuring Entity's authorized representative. In the event that no inspection or acceptance certificate is issued by the Procuring Entity's authorized representative within forty-five (45) days of the date shown on the delivery receipt, the Supplier shall have the right to claim payment of the remaining twenty percent (20%) subject to the Procuring Entity's own verification of the reason(s) for the failure to issue documents (vii) and (viii) as described in the SCC provision on Delivery and Documents.

10.3 All progress payments for Goods shall first be charged against the advance payment until the latter has been fully exhausted.

## **12) Payment**

11.1 Payments shall be made only upon a certification by the HoPE that the Goods have been delivered in accordance with the terms of this Contract and have been duly inspected and accepted. Except with the prior approval of the President, no payment shall be made for services not yet rendered or for supplies and materials not yet delivered under the Contract.

11.2 The Supplier's request(s) for payment shall be made to the Procuring Entity in writing, accompanied by an invoice describing, as appropriate, the Goods delivered and/or Services rendered, and by documents submitted pursuant to the SCC provision for **GCC** Clause 6.2, and upon fulfillment of other obligations stipulated in this Contract;

11.3 Pursuant to **GCC** Clause 11.2, payments shall be made promptly by the Procuring Entity after submission of an invoice or claim by the Supplier. Payments shall be in accordance with the applicable accounting and auditing laws, rules and regulations.

11.4 Unless otherwise provided in the **SCC**, all payments to the Supplier under this Contract shall be in Philippine Peso;

- 11.5 Unless otherwise provided in the **SCC**, payments using LoC is allowed. For this purpose, the amount of provisional sum shall be indicated in the **SCC**. All charges for the opening of the LoC and/or incidental expenses thereto shall be for the account of the Supplier.

### **13) Taxes and Duties**

The Supplier, whether local or foreign, shall be entirely responsible for all the necessary taxes, stamp duties, license and permit fees, and other such levies imposed for the completion of this Contract.

### **14) Performance Security**

- 13.1 Within ten (10) calendar days from receipt of the Notice of Award from the Procuring Entity, but in no case later than the signing of the contract by both parties, the successful Bidder shall furnish the performance security in any the forms prescribed in the ITB Clauses 31.2 and 31.3.
- 13.2 The performance security posted in favor of the Procuring Entity shall be forfeited in the event it is established that the winning Bidder is in default in any of its obligations under the contract.
- 13.3 The performance security shall remain valid until issuance by the Procuring Entity of the Certificate of Final Acceptance.
- 13.4 The performance security may be released by the Procuring Entity and returned to the Supplier after the issuance of the Certificate of Final Acceptance, subject to the following conditions:
- a) There are no pending claims against the Supplier or the Surety Company filed by the Procuring Entity;
  - b) The Supplier has no pending claims for labor and materials filed against it; and
  - c) Other terms specified in the **SCC**.
- 13.5 The Procuring Entity shall allow a proportional reduction in the original performance security in case of a reduction in contract value, provided that any such reduction is more than ten percent (10%) and that the aggregate of such reductions is not more than fifty percent (50%) of the original performance security.

### **15) Use of Contract Documents and Information**

- 14.1 The Supplier shall not, without the Procuring Entity's prior written consent, disclose this Contract or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the Procuring Entity, except for purposes of performing the obligations therein. Any such disclosure shall be made in confidence and shall extend only as far as may be necessary for purposes of such performance.
- 14.2 Other than this Contract, any document enumerated in **GCC** Clause 14.1 shall remain the property of the Procuring Entity. All copies shall be returned to the Procuring Entity upon completion of the Supplier's performance under this Contract, if so required by the Procuring Entity.

## **16) Standards**

The Goods provided under this Contract shall conform to the standards mentioned in the Section VII. Technical Specifications. When no applicable standard is mentioned, the Goods shall comply with the latest authoritative standards appropriate to its country of origin.

## **17) Inspection and Tests**

- 16.1 The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Contract specifications at no extra cost to the Procuring Entity, other than that specified under Item 16.3 below. The **SCC** and Section VII. Technical Specifications shall specify what inspections and/or tests the Procuring Entity requires and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.
- 16.2
- 16.3 If applicable, the inspections and tests may be conducted on the premises of the Supplier or its subcontractor(s), at point of delivery, and/or at the goods' final destination. If conducted on the premises of the Supplier or its subcontractor(s), all reasonable facilities and assistance, including access to drawings and production data, shall be furnished to the inspectors at no cost to the Procuring Entity. The Supplier shall provide the Procuring Entity with the results of such inspections and tests.
- 16.4 The Procuring Entity or its designated representative shall be allowed to attend the tests and/or inspections referred to in this Clause provided that the Procuring Entity shall bear all of its own costs and expenses incurred in connection with such attendance including, but not limited to, all traveling and board and lodging expenses.
- 16.5 The Procuring Entity shall reject the Goods or any part thereof that fail any test and/or inspection or do not conform to the specifications. The Supplier shall either rectify or replace such rejected Goods or parts thereof or make alterations necessary to meet the specifications at no cost to the Procuring Entity. Upon giving due notice to the Supplier pursuant to **GCC** Clause 5, the test and/or inspection may be repeated by the Procuring Entity, at no additional cost.
- 16.6 The Supplier agrees that neither the execution of a test and/or inspection of the Goods or any part thereof, nor the attendance by the Procuring Entity or its representative to the said test and/or inspection, shall release the Supplier from any warranties or other obligations under this Contract.

## **18) Warranty**

- 17.1 The Supplier warrants that the Goods supplied under the Contract are new, unused, of the most recent or current models, and with all recent improvements in design and materials, except when the technical specifications required by the Procuring Entity provides otherwise.
- 17.2 The Supplier further warrants that all Goods supplied under this Contract shall have no defect, arising from design, materials, or workmanship or from any act or omission of the Supplier that may develop under normal use of the supplied Goods in the conditions prevailing in the country of final destination.

- 17.3 To ensure correction of manufacturing defects, the Supplier shall be required to provide a warranty for a minimum period specified in the **SCC**. At the option of the Procuring Entity, the obligation for the warranty shall be covered by:
- a) Retention money in an amount equivalent to at least one percent (1%) but not to exceed five (5%) of every progress payment; or
  - b) Special bank guarantee equivalent to at least one percent (1%) but not to exceed five (5%) of the total Contract Price; or
  - c) Other such amount, if so specified in the **SCC**.
- 17.4 The said amounts shall only be released by the Procuring Entity after the lapse of the warranty period as specified in the **SCC**, or in case of Expendable Supplies, after the consumption thereof; Provided, however, that the Supplies delivered are free from patent and latent defects and all the conditions imposed under this Contract have been fully met.
- 17.5 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under the warranty. Upon receipt of such notice, the Supplier shall, within the period specified in the **SCC**, repair or replace the defective Goods or parts thereof, at the soonest possible time, without cost to the Procuring Entity.
- 17.6 If the Supplier, after having been notified on the warranty claim, fails to remedy the defect(s) within the period specified in **GCC** Clause 17.5, the Procuring Entity may proceed to take such remedial action as may be necessary, at the Supplier's risk and expense, and without prejudice to any other rights which the Procuring Entity may have against the Supplier under the Contract and other applicable laws.

## **19) Delays in the Supplier's Performance**

- 18.1 Delivery of the Goods and/or performance of Services shall be made by the Supplier in accordance with the time schedule prescribed by the Procuring Entity in Section VI. Schedule of Requirements.
- 18.2 If at any time during the performance of this Contract, the Supplier encounters conditions that may impede the timely delivery of the Goods and/or performance of Services, the Supplier shall promptly notify the Procuring Entity in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the Supplier's notice, and upon causes provided for under **GCC** Clause 23, the Procuring Entity shall evaluate the situation and, if warranted, extend the Supplier's time for performance, in which case the extension shall be ratified by the parties by amendment of Contract.
- 18.3 Except as provided under **GCC** Clause 23, any delay by the Supplier in the performance of its obligations shall render it liable to the imposition of liquidated damages pursuant to **GCC** Clause 19, unless an extension of time is agreed upon pursuant to **GCC** Clause 28.

## **20) Liquidated Damages**

- 19.1 When the Supplier fails to satisfactorily deliver the Goods under the contract within the specified delivery schedule, inclusive of duly granted time extensions, if any, the Supplier, manufacturer, or distributor shall be liable for liquidated damages in

an amount equal to one-tenth (1/10) of one percent (1%) of the cost of the delayed goods scheduled for delivery for every day of delay until such goods are finally delivered and accepted by the Procuring Entity.

- 19.2 The Procuring Entity need not prove that it has incurred actual damages to be entitled to liquidated damages. Such amount shall be deducted from any money due, or which may become due the supplier, manufacturer, or distributor, or collected from any securities or warranties posted by the supplier, manufacturer, or distributor, whichever is convenient to the Procuring Entity. In case the total sum of liquidated damages reaches ten percent (10%) of the total contract price, the Procuring Entity may rescind the contract and impose appropriate sanctions over and above the liquidated damages to be paid.
- 19.3 If delays are likely to be incurred beyond its control, the supplier, manufacturer, or distributor shall promptly notify the Procuring Entity in writing, providing details of the causes and duration of the expected delay. The Procuring Entity may, at its discretion, grant a time extension based on meritorious grounds, with or without the imposition of liquidated damages.

## **21) Settlement of Disputes**

- 20.1 Any dispute arising from the implementation of a contract covered by the Act and the IRR shall primarily be resolved and settled amicably by mutual consultation or agreement.
- 20.2 In case of failure to settle dispute amicably, the parties may mutually agree in writing to resort to other modes of alternative dispute resolution (ADR) to promote efficiency in the procurement process. Accordingly, they are encouraged to select the most expeditious mode of ADR available.

If arbitration is chosen as the ADR method, this shall be incorporated as a provision in the contract and referred to the Arbitrator specified in the **SCC**.

- 20.3 In case of disagreement or after exhausting the remedies provided in the preceding Section, the dispute may be submitted to arbitration or other forms of ADR which includes mediation, conciliation, early neutral evaluation, mini-trial, or any combination thereof in accordance with the provisions of RA No. 9285, otherwise known as the "Alternative Dispute Resolution Act of 2004."
- 20.4 Should the Parties fail to resolve their dispute or difference by such mutual consultation or agreement after thirty (30) days, either the Procuring Entity or the Supplier may signify its intention to commence arbitration by giving notice to the other Party, as hereinafter provided, as to the matter in dispute, and no arbitration in respect of this matter may be commenced unless such notice is given.
- 20.5 Any dispute or difference in respect of which a notice of intention to commence arbitration has been given in accordance with this Clause shall be settled by arbitration. Arbitration may be commenced prior to or after delivery of the Goods under this Contract.
- 20.6 Notwithstanding any reference to arbitration herein, the Parties shall continue to perform their respective obligations under the Contract unless otherwise agreed upon in writing.

## **22) Liability of the Supplier**

- 21.1 The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines, subject to additional provisions, if any, set forth in the SCC.
- 21.2 Except in cases of criminal negligence or willful misconduct, and in the case of infringement of patent rights, if applicable, the aggregate liability of the Supplier to the Procuring Entity shall not exceed the total Contract Price, provided that this limitation shall not apply to the cost of repair or replacement of the defective Goods.

## **23) Termination for Breach of Contract**

The Procuring Entity may terminate for breach of contract when the Supplier fails to deliver or perform any or all of the Goods within the period(s) specified in the contract, or within any extension thereof granted by the Procuring Entity, pursuant to a request made by the Supplier prior to the delay, and such failure amounts to at least ten percent (10%) of the contract price, consistent with the provision of this IRR on liquidated damages. The Procuring Entity may likewise impose appropriate sanctions therein.

## **24) Termination Due to Force Majeure**

- 23.1 For purposes of this Contract, the terms "*force majeure*" and "fortuitous event" may be used interchangeably. In this regard, a fortuitous event or *force majeure* shall be interpreted to mean as an event which the Supplier could not have been foreseen, or though foreseen, was inevitable. It shall not include ordinary unfavorable weather conditions, and any other causes the effect/s of which could have been avoided with the exercise of reasonable diligence by the Supplier. Such events may include, but not limited to, acts of the Procuring Entity in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions, and freight embargoes.
- 23.2 The Procuring Entity may terminate this Contract and impose liquidated damages when, as a result of *force majeure*, the Supplier is unable to deliver or perform any or all of the Goods, amounting to at least ten percent (10%) of the Contract Price, for a period of not less than sixty (60) calendar days, or earlier, as deemed necessary by the Procuring Entity, after receipt of the written notice from the Procuring Entity stating that the circumstance of *force majeure* is deemed to have ceased.
- 23.3 The Supplier shall not be subject to forfeiture of its performance security, payment of liquidated damages, or contract termination due to *force majeure*, provided that the Supplier's delay in performance or other failure to perform its obligations under this Contract is the result of a *force majeure*.
- 23.4 If a *force majeure* situation arises, the Supplier shall promptly notify the Procuring Entity in writing of such condition and the cause thereof. Unless otherwise directed by the Procuring Entity, the Supplier shall continue to perform its obligations under the Contract as far as may be practicable, when not prevented by the *force majeure*, and shall seek all reasonable alternative means in the performance of its obligation.

## **25) Termination for Convenience**

24.1 The Procuring Entity, through a written notice sent to the Supplier, may terminate this Contract, in whole or in part, at any time, if it has determined the existence of any of the following conditions that make contract implementation economically, financially, or technically impractical or unnecessary:

- a) When physical and economic conditions have significantly changed so as to render the project no longer economically, financially, or technically feasible, as determined by the HoPE;
- b) When the HoPE has determined the existence of conditions that make project implementation impractical or unnecessary, such as, but not limited to, fortuitous event/s, changes in laws, and government policies;
- c) When funding for the Project has been withheld or reduced by higher authorities through no fault of the Procuring Entity; or
- d) Any circumstance analogous to the foregoing.

24.2 The Goods that have been performed or are ready to be delivered or performed within thirty (30) calendar days after the Supplier's receipt of Notice to Terminate shall be accepted by the Procuring Entity at the contract terms and prices thereof. For Goods not yet delivered, performed and/or ready to be delivered or performed, the Procuring Entity may elect:

- a) To have any portion delivered and/or performed and paid at the contract terms and prices thereof; or
- b) To cancel the remainder and pay to the Supplier an agreed amount for partially completed and/or performed goods and for materials and parts previously procured by the Supplier.

## **26) Termination for Unlawful Acts**

25.1 The Procuring Entity may terminate this Contract in case it is determined *prima facie* that the Supplier, including any joint venture partner therein, has engaged, before or during the implementation of this Contract, in unlawful deeds and behaviors relative to contract acquisition and implementation. Unlawful acts include, but are not limited to, the following:

- a) Corrupt, fraudulent, collusive, and coercive practices as defined in ITB Clause 3.1;
- b) Drawing up or using forged documents;
- c) Using adulterated materials, means or methods, or engaging in production contrary to rules of science or the trade; and
- d) Any other act analogous to the foregoing.

## 27) Procedures for Termination of Contracts

26.1 The following provisions shall govern the procedures for termination of this Contract:

- a) **Verification** - Upon receipt of a written report of acts or causes which may constitute grounds for termination as aforementioned, or upon its own initiative, the End-User or Implementing Unit shall, within a period of seven (7) calendar days, verify the existence of such grounds and cause the execution of a Verified Report, with all relevant evidence attached.
- b) **Notice to Terminate** - Upon recommendation by the End-User or Implementing Unit, the HoPE shall terminate contracts only by written notice to the supplier conveying the termination of the contract. The notice shall state:
  - i) That the contract is being terminated for any of the grounds aforementioned, and a statement of the acts that constitute the grounds constituting the same;
  - ii) The extent of termination, whether in whole or in part;
  - iii) An instruction to the Supplier, to show cause as to why the contract should not be terminated; and
  - iv) Special instructions of the Procuring Entity, if any.

The Notice to Terminate shall be accompanied by a copy of the Verified Report.

- c) **Show Cause** - Within a period of seven (7) calendar days from receipt of the Notice of Termination, the Supplier shall submit to the HoPE a verified position paper stating why the contract should not be terminated. If the Supplier, fails to show cause after the lapse of the seven (7) day period, either by inaction or by default, the HoPE shall issue an order terminating the contract.
- d) **Rescission of Notice of Termination** - The Procuring Entity may, at any time before receipt of the Supplier's verified position paper, withdraw the Notice to Terminate if it is determined that certain items or works subject of the notice had been completed, delivered, or performed before the Supplier's receipt of the notice.
- e) **Decision** - Within a non-extendible period of ten (10) calendar days from receipt of the verified position paper, the HoPE shall decide whether or not to terminate the contract. It shall serve a written notice to the Supplier of its decision and, unless otherwise provided, the contract is deemed terminated from receipt of the Supplier of the notice of the decision. The termination shall only be based on the grounds stated in the Notice to Terminate.
- f) **Contract Termination Review Committee (CTRC)** - The HoPE may create a committee to assist in the discharge of its functions under the IRR. All decisions recommended by the CTRC shall be subject to the approval of the HoPE.

- g) **Take-over of Contracts** - If a Procuring Entity terminates the contract due to default, insolvency, or for a cause, it may enter into a Negotiated Procurement (Take-over of Contracts) pursuant to Section 35(c) of RA No. 12009.
- h) **Procuring Entity's Options in Termination for Convenience in Contracts for Goods** - The Goods that have been performed or are ready for delivery within thirty (30) calendar days after the supplier's receipt of Notice to Terminate shall be accepted by the Procuring Entity at the contract terms and prices. For Goods not yet performed or ready for delivery, the Procuring Entity may elect:
  - i) To have any portion delivered or performed and paid at the contract terms and prices; or
  - ii) To cancel the remainder and pay to the supplier an agreed amount for partially completed or performed goods and for materials and parts previously procured by the supplier.

**28) Assignment of Rights**

The Supplier shall not assign its rights or obligations under this Contract, in whole or in part, except upon prior written consent of the Procuring Entity.

**29) Amendment to Order**

No variation in or modification of the terms of this Contract shall be made except by written amendment signed by the parties in accordance with the provisions on Amendment to Order, subject to applicable laws, rules and regulations.

**30) Application**

These General Conditions shall apply to the extent that they are not suspended by the provisions from other parts of this Contract.

## ***Section V. Special Conditions of Contract***

## Special Conditions of Contract

| GCC Clause |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1(a)       | The Procuring Entity is the Securities and Exchange Commission.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 1(b)       | The Service Provider is <i>[to be inserted at the time of contract award]</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 1(c)       | <p>The Funding Source is:</p> <p>2.1 The GoP through the source of funding as indicated below for FY 2026 in the amount of Fifty-Nine Million Two Hundred Fifty Thousand Pesos (Php59,250,000.00).</p> <p>2.2 The source of funding is FY 2026 Annual Operating Budget of SEC.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 1(d)       | The Project Site is The SEC Headquarters, 7907 Makati Ave., Salcedo Village, Bel-Air, Makati City 1209.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| 2          | No further instructions.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 5.1        | <p>The Procuring Entity's address for Notices is:</p> <p>Oliver V. Chato<br/>The SEC Headquarters, 7907 Makati Ave., Salcedo Village, Bel-Air, Makati City</p> <p>The Service Provider's address for Notices is: <i>[Insert address including, name of contact, fax and telephone number]</i>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 5.2        | No further instructions.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 6.2        | <p><b>Delivery and Documents</b></p> <p>For purposes of this Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:</p> <p>The delivery terms applicable to this Contract are delivered at The SEC Headquarters, 7907 Makati Ave., Salcedo Village, Bel-Air, Makati City 1209. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI. Schedule of Requirements.</p> <p>For purposes of this Clause the Procuring Entity's Representatives at the Project Site are Ms. Naumie E. Villarina, Ms. Roan Denzin S. Alvarado, and Mr. Josua P. Salgado.</p> <p><b>Incidental Services</b></p> |

The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:

- a) performance or supervision of onsite assembly and/or startup of the supplied goods;
- b) furnishing of tools required for assembly and/or maintenance of the supplied goods;

The Contract price for the goods shall include the prices charged by the Service Provider for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

### **Packaging**

The Service Provider shall meet packaging standards for goods in accordance with existing laws and regulations, and as indicated in this Contract to prevent damage or deterioration during transit to their final destination.

The packaging shall be durable enough to withstand rough handling, exposure to extreme temperatures, salt, precipitation, open storage, and other extreme conditions during transit. Packaging case sizes and weights shall consider the remoteness of the goods' final destination and the potential absence of heavy handling facilities at all transit points.

### **Transportation**

The Service Provider shall arrange and pay for the delivery of the goods, with the cost included in the Contract Price. When required under this Contract to deliver the goods CIF, CIP, or DDP, the Service Provider shall ensure the transport of the goods to the port of destination or any other specified place of destination in the Philippines, as indicated in this Contract.

The Service Provider shall arrange for transport, insurance, and storage to the specified destination with the related costs included in the Contract Price. When required under this Contract to transport the goods to a specified place of destination within the Philippines, defined as the Project Site.

The goods must be transported using carriers registered in the Philippines when the Service Provider is required under this Contract to deliver the goods CIF (Cost, Insurance, and Freight), CIP (Carriage and Insurance Paid To), or DDP (Delivered Duty Paid). If no Philippine-registered carrier is available, the goods may be shipped using a non-Philippine carrier, provided the Service Provider obtains and presents certification from the nearest Philippine consulate at the port of dispatch. If Philippine-registered carriers are available but their schedules would impede timely delivery or cause delays in the Service Provider's performance of this Contract, the period of delay from when

|         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|         | <p>the goods were first ready for shipment to the actual date of shipment will be considered <i>force majeure</i> in accordance with <b>GCC Clause 23</b>.</p> <p>The Procuring Entity accepts no liability for the damage of goods during transit other than those prescribed by INCOTERMS for DDP Deliveries. In the case of goods supplied from within the Philippines or supplied by domestic Suppliers, risk and ownership will not be deemed transferred to the Procuring Entity until their receipt and final acceptance at the final destination.</p>                                                                                                                      |
| 10.3    | <p>Payment shall be made through Land Bank's LDDAP-ADA/Bank Transfer Facility within (30) calendar days from the submission of billing statement by the Supplier.</p> <p>For item no. 1, payment shall be made upon complete delivery, installation, configuration, and acceptance of all portable data racks to extension offices.</p> <p>For item no. 2, monthly equal payments shall be made to the service provider to the maintenance of data center facility in the SEC headquarters.</p>                                                                                                                                                                                    |
| 11      | <p>Payment shall be made after accomplishment of the following:</p> <ol style="list-style-type: none"> <li>1. Issuance of the Certificate of Acceptance/Completion by the End User Department; and</li> <li>2. For the first payment, submission of Certificate of No-Derogatory Information of the Service Provider (For Corporations/ Partnerships).</li> </ol> <p>For the final payment and settlement of contracts, the following will be required from Service Provider:</p> <ol style="list-style-type: none"> <li>3. Tax clearance certificate for Final Settlement of Government contracts (TCFG)</li> <li>4. Certification of Collectible Final Payment (CCFP)</li> </ol> |
| 11.4    | Not applicable.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 11.5    | Payment using LoC is not allowed.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 13.4(c) | No further instructions.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 16.1    | None.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 17.3    | Not applicable.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 17.3(c) | Not applicable.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 17.4    | No further instructions.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 17.5    | No further instructions.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 20.2    | Not applicable.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 21.1    | No further instructions.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

## **Section VI. Schedule of Requirements**

The delivery schedule, expressed in weeks or months, indicates the required delivery date which shall be understood as the date the Service shall be delivered/commenced.

| <b>Item Number</b> | <b>Description</b>                                                                                                                         | <b>Quantity</b> | <b>Delivery Schedule</b>                                                                   |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------------------------------------------------------------------------------------|
| 1                  | Supply, Delivery, and Installation of Portable Self-Contained Data Rack for SEC Extension Office                                           | 10 units        | Within forty-five (45) days upon receipt of the Notice to Proceed                          |
| 2                  | Comprehensive Maintenance and Operation Support Services for the Network and IT Infrastructure Facilities of SEC ITE Room for One (1) Year | 1 lot           | Implementation shall commence within seven (7) days from issuance of the Notice to Proceed |

Delivery Address:

1. **The SEC Headquarters** 7907 Makati Ave., Salcedo Village, Brgy. Bel-air, Makati City
2. **SEC - Baguio Extension Office** 3F Newtown Square, Navy Base Road, Baguio City
3. **SEC - Tarlac Extension Office** 2F Legislative Bldg., Tarlac City
4. **SEC - Legazpi Extension Office** 2F RDC Primeland Bldg., 1 LandCo, Business Park, Brgy. Capantawan, Legazpi City
5. **SEC - Iloilo Extension Office** SEC Bldg., Gen. Hughes St., Iloilo City
6. **SEC - Bacolod Extension Office** P. Hernaez St. Extension, Brgy. Taculing, Bacolod City
7. **SEC - Cebu Extension Office** 12F AppleOne – Equicom Tower, Mindanao Ave. Cor. Biliran St., Cebu City
8. **SEC - Cagayan De Oro Extension Office** SEC Building, 14th St. cor. Tomasaco Del Lara St., Cagayan De Oro City
9. **SEC - Davao Extension Office** SDC Bldg, Ma-a Road, Brgy. Ma-a, Davao City
10. **SEC - Zamboanga Extension Office** SEC Building, San Jose Panigayan St., Zamboanga City
11. **SEC - Koronadal Extension Office** 2F South Cotabato Gymnasium and Cultural Center

I hereby certify to comply and deliver the above requirements immediately upon receipt of the Notice to Proceed.

Signature  
Printed Name of the Authorized Representative  
Company Name  
Date

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

## ***Section VII. Technical Specifications***

## Technical Specifications

| Item | Specification                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Statement of Compliance                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|      | <p><b>Green Specifications</b></p> <p>The manufacturer or bidder must have effective waste management policies and procedures and/or a waste management program.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | <p><i>Bidders must state "Comply" or "Not Comply" for each specification and provide the corresponding performance parameters for offered equipment. Each response must be supported by a clear documentary support in the bid and properly cross-referenced. Acceptable evidence includes unaltered manufacturer sales brochures, official specification sheets, product samples, independent test results, and similar documents.</i></p> <p><i>Claims should be backed by documentary support. If the evidence contradicts the claim, the bid may be rejected. Any false statement—whether in the compliance form or supporting documents—found during evaluation, post-qualification, or contract implementation may be considered fraudulent in accordance with ITB Clause 3.1(a)(ii) and without prejudice to the imposition of appropriate administrative, civil, and criminal penalty</i></p> |
|      | <p><b>Purpose</b></p> <p>The purpose of this project is to modernize and sustain the critical IT infrastructure of the Securities and Exchange Commission (SEC) across its various offices. This initiative encompasses two primary objectives:</p> <ol style="list-style-type: none"> <li>1. <b>Regional Infrastructure Enhancement:</b> To supply, deliver, and install portable self-contained data racks at ten (10) designated SEC Extension Offices nationwide—including Baguio, Tarlac, Legazpi, Iloilo, Bacolod, Cebu, Cagayan de Oro, Davao, Zamboanga, and Koronadal. These units provide a decentralized, "plug-and-play" data center solution featuring integrated cooling, power distribution, fire suppression, and security monitoring without requiring extensive civil works.</li> <li>2. <b>Operational Continuity and Maintenance:</b> To provide comprehensive maintenance and operation support services for the network and IT infrastructure facilities at the SEC Headquarters' ITE room for a period of one (1) year. This ensures the reliability of essential systems, such as the 200 KVA UPS, precision air-conditioning (PACU), and fire suppression systems, through 24/7 technical support and regular preventive maintenance.</li> </ol> <p>Ultimately, this project aims to ensure high availability, security, and seamless operation of the SEC's digital services through standardized hardware and expert technical oversight.</p> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 1    | <p><b>Supply, delivery and installation of Portable Self-Contained Data Rack for SEC Extension Offices</b></p> <p>Minimum Technical Specifications</p> <p>Data Cabinet</p> <ol style="list-style-type: none"> <li>1. At least 42RU</li> <li>2. At least Dimension of (W*D*H) 600 x 1200 x 2000mm (with caster)</li> <li>3. Emergency pop-up door system in case of emergency.</li> <li>4. Cable entry in the top and bottom</li> <li>5. Cabinet color must be Black</li> <li>6. Ambient temperature range: 0 - 45°C</li> <li>7. Ambient humidity range: 10-95% (Relative humidity)</li> </ol>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                         |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|  | 8. At least 26U of rack usable space<br>9. Front door: acrylic glass<br>10. Rear door: metal<br>11. Has an ambient light at front with RGB three-color<br>12. There should be no civil works to be done like installation of exhaust pipe for precision air conditioning unit.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | in accordance with law. |
|  | <b>Power Distribution Module</b><br><br>1. At least two (2) unit of PDUs Intelligent Type are installed on the rear side inside the cabinet each with IEC socket *2pc, 16ports (13*10A+3*16A)<br>3. Capable of monitoring, managing, and controlling power consumption to multiple devices.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                         |
|  | <b>Uninterruptible Power Supply (UPS)</b><br><br>Must have at least 3KVA capacity uninterruptible power supply (UPS) with built in battery:<br><br>1. The built-in battery has at least 5 minutes' backup capacity at full load.<br>2. Power distribution must be 230V, Single phase in and 230V, single phase out.<br>3. Power Distribution: Single phase in and single phase out<br>4. Frequency: 60Hz                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                         |
|  | <b>Precision Air Conditioning Unit</b><br><br>Must be an integrated type PACU with:<br>1. Precision Air Conditioner: Rack type<br>2. Rated cooling capacity: at least 3.5kW<br>3. Rated power consumption: 1.2kW<br>4. Rated air volume: 700m <sup>3</sup> /h<br>5. Drop height: -5m≤ΔH≤10m<br>6. Not more than 8U of Height<br>7. With at least 1 Liter capacity condensate evaporating dish                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                         |
|  | <b>Fire Suppression System</b><br><br>Must be a rack mounted fire extinguishing system.<br>1. Pressurized clean agent gas (HFC227ea)<br>2. Interface to PACU from control panel for automatic shut-off in case of smoke detection.<br>3. Must be equipped with fire detector and extinguishing pipe for a point-to-point detection and fire extinguishing in the shortest time. The minimum technical and operating requirements are as follows: <ul style="list-style-type: none"> <li>• Outside diameter – 6.0 mm Ø</li> <li>• Inside diameter – 4.0 mm Ø</li> <li>• Thickness - 1.0mm (± 0.1mm)</li> <li>• Density - 1.05g/cm<sup>3</sup>±0.1g/cm<sup>3</sup></li> <li>• Minimum bend radius – 30.0 mm</li> <li>• Normal operating pressure - 1.2Mpa</li> <li>• Maximum operating pressure - 2.5MPa</li> <li>• Operating temperature range – (-10°C) to 50°C</li> </ul> |                         |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | <ul style="list-style-type: none"> <li>Maximum length 25M</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  |
|  | <p>Access Control</p> <p>Must have the following feature:</p> <ol style="list-style-type: none"> <li>1. Fingerprint recognition</li> <li>2. Facial recognition</li> <li>3. Card IC &amp; ID</li> <li>4. Password</li> <li>5. Able to apply all four in one door user access control.</li> </ol>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
|  | <p>Environmental Monitoring System</p> <p>Must have the following:</p> <ol style="list-style-type: none"> <li>1. Smoke detector: Working voltage: 12/24VDC, voltage ranging 8-28VDC; Working current: &lt;2mA@12VDC in monitoring status; &lt;30mA@12VDC in case of fire alarm</li> <li>2. Water leakage detector: Working voltage: 12VDC, Operating Environment: -20°C~+80°C, 0~95%RH (no condensation)</li> <li>3. Camera or webcam: 2MP in 1/3 inch step by step scan with maximum resolution: 1920*1080: Power supply DC 12V with POE, Ingress Protection grade IP66</li> <li>4. Temperature and Humidity detector: temperature detection range 0°C-+85°C: Humidity detection range 0~100% RH</li> <li>5. Infrared detector<br/>Working voltage: 12VDC, voltage ranging 9-16VDC, Working current: ≤50mA@12VDC, Contact output: 100mA/60VDC for detection alarm and 100mA/28VDC for anti-removal alarm, Monitoring status: Indicator light is off, Detection alarm status: Red indicator light is on, Operating Environment</li> </ol> |  |
|  | <p>Centralized Monitoring System</p> <ol style="list-style-type: none"> <li>1. Not more than 12" touch screen LCD display with intelligent integrated monitoring system.</li> <li>2. Able to monitor on the information regarding power, cooling, environmental conditions, and security.</li> <li>3. Able to extensible and compatible with third party monitoring systems</li> <li>4. Must be user-friendly Human Machine Interface (HMI).</li> <li>5. Able to access thru local and remote web interface with SMS alarm function.</li> </ol>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
|  | <p>Other requirements</p> <p>Supply, delivery, installation, and tapping of electrical power supply such as not but limited to isolation breakers, electrical wires, conduit, rough-ins, hangers &amp; supports to make the self-contained data rack operational.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
|  | <p>Safety Standards Certification</p> <p>Must have the following standards:</p> <ul style="list-style-type: none"> <li>• EN IEC 62368-1:2020+A11:2020</li> <li>• EN 55032:2015 15/A1:2020</li> <li>• EN 55035:2017/A11:2020</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | <p>Warranty</p> <p>One (1) year warranty on workmanship, parts and accessories.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  |
|  | <p>Manpower Requirements</p> <ol style="list-style-type: none"> <li>1. Project Manager- Must be a Project Management Professional certified by an international certifying body (i.e. Project Management Institute) and must be a regular employee of the bidder for at least five (5) years. Trained in the following major Data center components:             <ol style="list-style-type: none"> <li>a) Uninterruptible Power Supply (UPS)</li> <li>b) Precision Air Conditioning Unit (PACU)</li> <li>c) Fire suppression System</li> <li>d) Self-contained Data Rack</li> </ol> </li> <li>2. Project Engineer- Must be a licensed Civil Engineer and a regular employee of the bidder for at least 5 years registered on PCAB as Sustaining Technical Employee (STE). Trained in Precision Air-conditioning System; Trained in Self-Contained Data Rack; Trained in Fire Systems Design, Configurations, and Installation; Trained in Uninterruptible Power Supply; must have completed training on Construction Occupational Safety and Health; must have completed advance occupational safety and health loss control management (LCM); and must have completed hazard identification, risk assessment and control (HIRAC)</li> <li>3. Professional Electrical Engineer (PEE)- Must be registered with PCAB as Sustaining Technical Employee (STE) of the bidder; Should be a Professional Electrical Engineer with at least five (5) years' experience in electrical system design, installation, and implementation; Must be trained in Electrical load and voltage drop calculation and application; Must be trained in Protection and Insulation; Must be trained in Short Circuit calculation and application;</li> <li>4. Professional Mechanical Engineer (PME)- Must be registered with PCAB as Sustaining Technical Employee (STE) of the bidder, with at least five (5) years' experience in Mechanical works, installation, and implementation; trained in Precision Air Conditioning Unit and Fire Suppression System.</li> <li>5. Professional Electronics Engineer (PECE)-Must be registered with PCAB as Sustaining Technical Employee (STE) of the bidder, Certified Copper and Fiber Designer/Installer, with at least five (5) years' experience in Auxiliary works, Building Management System, trained in IP Surveillance and Structured Cabling System; Must have trained and completed the Construction Occupational Safety and Health course for safety officer as prescribed by DOLE.</li> <li>6. Information Security Implementer - Must be a regular employee of the bidder with at least ten (10) years of experience in the construction/rehabilitation and maintenance of Data Center. Must be a Certified</li> </ol> |  |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | <p>Information Security Manager (CISM); Certified Data Center Specialist (CDCS) and Certified Data Privacy Solutions Engineer (CDPSE); Trained in Uninterruptible Power Supply (UPS), Precision Air Conditioning Unit (PACU), Self-Contained Data Rack and Fire suppression.</p> <ol style="list-style-type: none"> <li>7. Precision Air Conditioning Unit Expert - Must be a regular employee of the bidder with five (5) years' experience in the installation and maintenance of precision air conditioning unit. With Training certificate in Precision Air - conditioning system issued by the Manufacturer or Distributor.</li> <li>8. Uninterruptible Power Supply Expert - Must be a licensed Electrical Engineer and a regular employee of the bidder. Must have trained and completed the Construction Occupational Safety and Health course for safety officer as prescribed by DOLE. Must have experience in the installation and maintenance of Uninterruptible Power Supply. With Training certificate in Uninterruptible Power Supply issued by the Manufacturer or Distributor.</li> <li>9. Fire Suppression System /Certified Technical Engineer - Must be a regular employee of the bidder with at least five (5) years' experience in the installation or configuration of Fire Suppression System. With Training certificate in Fire Suppression System issued by the Manufacturer or Distributor or any similar training institution.</li> <li>10. Certified Modular Data Center Engineer- Must be a regular employee of the bidder. Must be trained in the installation and maintenance of modular data center and self-contained data rack. With Training certificate in modular data center issued by the Manufacturer or Distributor. Must have trained and completed the Construction Occupational Safety and Health course for safety officer as prescribed by DOLE</li> <li>11. Electrician- Must be a regular employee of the bidder. Must have NC II Certificate from TESDA or TESDA Accredited Center. Must be trained in Installing Electrical Protective Devices for Distribution, Power, Lightning Protection and Grounding Systems and Performing Roughing-In Activities, wiring and cabling works for Single-Phase Distribution, Power, Lighting and Auxiliary System</li> </ol> |  |
|  | <p><b>Certifications</b></p> <ol style="list-style-type: none"> <li>1. Must be capable of implementing the project consistent with the primary purpose as it appears in its SEC Articles of Incorporation or DTL or Mayor's or Business Permit that it provides any and all acts and things that are associated with or required in information and communication technology including but not limited to configure, renovation, maintenance or build of local or wide area wired or wireless data, voice, and video</li> </ol>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | <p>network communication; software and hardware programming and distribution; system integration; design and build of data center.</p> <ol style="list-style-type: none"> <li>2. Must be an ISO 9001:2015 specifically: certified for the provision of providing IT related products and services for <ol style="list-style-type: none"> <li>a) Renovation or build and Maintenance of Data Center</li> <li>b) System Integration</li> </ol> </li> <li>3. Must be an ISO 27001:2022 certified (Information Security Management Systems) specifically for the provision of Technology Construction; ICT System Integration; ICT Management; Enterprise Business Solutions Installation, Maintenance and Support; and Enterprise Security Installation, Management and Support.</li> <li>4. Bidder must have completed an IT project in at least ten (10) Administrative Regions from a single government agency in the past 5 years. IT project would mean provision of data center or communications center or command center facilities.</li> <li>5. Authorized partner/reseller/distributor certification for the self- contained rack.</li> </ol>                                                                                                                                                           |  |
|  | <p><b>Delivery</b></p> <ul style="list-style-type: none"> <li>• Should deliver, install, configure and technical support to the following SEC Extension Offices: <ol style="list-style-type: none"> <li>a) BAGUIO EXTENSION OFFICE 3/F Newtown Square, Navy Base Road, Baguio City</li> <li>b) TARLAC EXTENSION OFFICE The Prime II Building, MacArthur Highway, San Sebastian, Tarlac City</li> <li>c) LEGAZPI EXTENSION OFFICE 2nd Floor RDC Primeland Bldg., 1 Landco Business Park, Brgy. Capantawan, Legazpi City</li> <li>d) ILOILO EXTENSION OFFICE SEC Bldg. Gen. Hughes St. Iloilo City</li> <li>e) BACOLOD EXTENSION OFFICE Unit 10 &amp; 11 Redkey Building corner Hernaez &amp; Jocson Streets, Barangay Taculing, Bacolod City</li> <li>f) CEBU EXTENSION OFFICE 12th Floor, Apple One - Equicom Tower, Mindanao Ave. Cor. Biliran St., Cebu Business Park, Cebu City</li> <li>g) CAGAYAN DE ORO EXTENSION OFFICE SEC Bldg. Corner 14th and Tomasaco Del Lara Sts. Cagayan de Oro City</li> <li>h) DAVAO EXTENSION OFFICE SDC Bldg., Purok 13, Maa Road, Brgy. Maa, Davao City</li> <li>i) ZAMBOANGA EXTENSION OFFICE SEC Bldg., San Jose Panigayan St. Zamboanga City</li> <li>j) KORONADAL EXTENSION OFFICE Room B9-11, 2nd Flr., South Cotobato Gym and Cultural Center</li> </ol> </li> </ul> |  |

|   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |
|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|   | <p>(SCGCC), SCGCC Compound, Alunan Ave., Brgy. Zone IV, Koronadal City, South Cotobato, 9506</p> <ul style="list-style-type: none"> <li>• No structural or civil works (e.g., drilling) are allowed during project implementation.</li> <li>• Duly notarized statement stating that the provider will undertake all the necessary activities and ensure that there will be no disruption in the services provided and at no additional cost to SEC.</li> <li>• Able to provide a live demo for technical evaluation. Either onsite or site visit at the bidder's office location.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  |
| 2 | <p><b>Comprehensive Maintenance and Operation Support Services for the Network and IT Infrastructure Facilities of SEC ITE room for 1 year</b></p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |
|   | <p>Summary:</p> <ul style="list-style-type: none"> <li>I. Comprehensive Maintenance <ul style="list-style-type: none"> <li>A Power System <ul style="list-style-type: none"> <li>1. Uninterruptible Power Supply</li> <li>2. Electrical System</li> </ul> </li> <li>B Cooling System <ul style="list-style-type: none"> <li>1. Precision Air-Conditioning Unit</li> <li>2. Air- Conditioning Unit</li> </ul> </li> <li>C Fire Suppression System</li> <li>D Auxiliary System <ul style="list-style-type: none"> <li>1. IP Based Surveillance System</li> <li>2. Internet of Things (Water Leak Detection System, Temperature and Humidity, Air Quality Monitoring)</li> <li>3. Data Racks and Cold Aisle Containment System</li> <li>4. Structured Cabling System and Fiber Optics</li> <li>5. Door Access System</li> <li>6. Data Center Infrastructure Monitoring System</li> </ul> </li> <li>E Acoustic Ceiling System</li> <li>F Raised Floor System</li> <li>G Glass Wall Partition and Aluminum Composite Panel (ACP) Cladding</li> <li>H Manpower Support Service</li> <li>I Service Level Agreement</li> </ul> </li> </ul> |  |
|   | Scope of Works                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
|   | <p>A Power System</p> <p>1) Uninterruptible Power Supply (UPS)<br/>Maintenance services shall cover the one (1) unit 200 KVA module UPS installed at the Data Center. Maintenance services for the UPS shall include the following as needed:</p> <ul style="list-style-type: none"> <li>a) Quarterly periodic maintenance services for the UPS unit and battery system to be performed on a mutually agreed schedule.</li> <li>b) Conduct on-site inspection of the equipment and check the integrity of any electrified hinges or similar power-transfer devices.</li> <li>c) Replace batteries and fine-tune opening.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | <ul style="list-style-type: none"> <li>d) Troubleshoot hardware/software and isolate problem as needed.</li> <li>e) Check current UPS installation condition. Installation should be in accordance with the manufacturer's guidelines and wiring regulations.</li> <li>f) Provide necessary recommendation to expand the life of the equipment. User and operations training refresher for client's technical personnel.</li> <li>g) Replacement/repair of defective components of UPS such as battery, circuit board, UPS inverters, capacitors, and exhaust fans.</li> <li>h) Replacement of unrepairable equipment as necessary / as required</li> <li>i) Perform appropriate preventive measures to keep the UPS in good condition as follows: <ul style="list-style-type: none"> <li>i) Ensure adequate clearance around the UPS for ventilation and maintenance access. Check the surrounding of the UPS.</li> <li>ii) Do not allow smoke or naked lights in the vicinity of the UPS or its battery. Keep the room in which the UPS is situated dry, clean and dust free.</li> <li>iii) Do not store or use corrosive materials in the vicinity of the UPS. Do not allow building or electrical work to be carried out near the UPS unless the machine has first been de-energized and covered. Thoroughly clean the room before re-energizing the machine.</li> <li>iv) To ensure optimum performance and life out of the UPS the ambient temperature in the battery cabinet / compartment should be maintained between 20 to 25 degrees centigrade.</li> <li>v) Ensure the ventilation air conditioning is sufficient to cope with the heat dissipated and can maintain the Data Center within recommended ambient temperature and humidity recommendations.</li> <li>vi) Record UPS display parameters. Measure actual UPS parameters. Measure and record input and output filter current.</li> <li>vii) Perform ocular inspection and check capacitors for signs of leakage; coils, wire/cables, PCB components for signs of burns; blowers for correct operation.</li> <li>viii) Perform thermal scanning of all UPS electrical connections and power components using infrared scanner and note findings.</li> </ul> </li> </ul> |  |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | <ul style="list-style-type: none"> <li>ix) If a discrepancy from original calibration is identified, transfer the UPS to bypass mode (if allowed by customer) and perform control supply only calibration procedure otherwise, coordinate with customer for schedule of activity and proceed to the next step.</li> <li>x) If the unit needed corrective measures, through cleaning of internal components, and other activities that could endanger the safety of the personnel, perform orderly shutdown of the unit and do as necessary.</li> <li>xi) Clean battery tops and terminals for corrosion if present. Perform battery test procedure and record parameters. Clean UPS and battery cabinet panels.</li> <li>xii) Normalize UPS and double-check all display parameters. Reset alarm history and event alarms buffer.</li> <li>xiii) Shutdown the UPS following the recommended operating procedures:</li> <li>xiv) Isolate the UPS input Mains supply externally and isolate the battery. Ensure that the UPS is totally powered down. UPS power components and sub-assemblies.</li> <li>xv) Open the internal hinged safety panel to gain access to the interior of the UPS. Check electrolytic capacitors for signs of leakage, bucking, so forth; check magnetic components for signs of overheating, security of fixture and de-lamination; check cables and connections for chaffing, fraying, and signs of overheating; check printed circuit boards for cleanliness and integrity; replace bonds that show signs of deterioration; verify that all board connections are tight and secure; thoroughly clean inside the equipment enclosure using a vacuum cleaner and low-pressure air to remove foreign debris; reconnect the UPS input mains power; start the UPS and transfer the load to the inverter.</li> <li>xvi) Complete a battery check as needed. Ensure that the available battery autonomy time meets the installation specifications.</li> </ul> |  |
|  | <p>2) Electrical System</p> <p>All data center equipment needs source of power that is why electrical system is one of the most important data center components. Data Center must have ready access to power from</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | <p>diverse sources. Maintenance service for the electrical system shall include the following as needed:</p> <ul style="list-style-type: none"> <li>a) Functionality testing of metered electrical panels.</li> <li>b) Testing of circuit breakers and switches.</li> <li>c) Cleaning and tightening of all electrical connection and equipment enclosures.</li> <li>d) Replacement of defective LED bulbs and lighting fixture. Replacement of defective power outlets and related components.</li> <li>e) Perform load balancing as needed to prevent power overload and other power issues; Study the system load during the actual operation, Determine the unbalance phase load; transfer/reconfigure load to balance the phase load; monitor the balanced current load; project the additional load per phase and re-balance load as the change arise.</li> <li>f) Provide and re-adjust electrical load requirement as necessary for the equipment installed in every rack cabinet within the existing overall load capacity of the ups, Add and install additional PDU and electrical cabling as necessary.</li> <li>g) Survey and identify of high temperature incursions.</li> <li>h) Cleaning and tightening of all electrical connections and equipment enclosures.</li> <li>i) Replacement of defective power outlets and related components.</li> <li>j) Replacement of defective power outlets, panels, transformers, and other related components.</li> <li>k) Perform Preventive maintenance for the electrical system of data center equipment's specially PACU, UPS, and Electrical panels.</li> </ul> |  |
|  | <p>3) Automatic Voltage Regulator of PACU and UPS</p> <p>Maintenance shall include but not be limited to the following:</p> <ul style="list-style-type: none"> <li>a) Daily monitoring and documentation of input and output voltage.</li> <li>b) Conduct routine visual inspection on voltmeter.</li> <li>c) Visual observation of Variable Transformer Surface and use airbrush for dusty environments if necessary.</li> <li>d) Check for wear and tear of mechanical parts and replace them as necessary.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | e) Adjust parameters as necessary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |
|  | <p><b>B Cooling System</b></p> <p>1) Precision Air-Conditioning Units (PACU)</p> <p>Maintenance service for the two (2) units 10 Tr PACU shall include the following as needed:</p> <ul style="list-style-type: none"> <li>a) Daily monitoring and documentation of temperature and humidity of PACU System.</li> <li>b) Logging of historical events and incident reports.</li> <li>c) Visual inspection of all internal sub-assemblies and major components.</li> <li>d) Cleaning of any foreign material and dust from internal components.</li> <li>e) Recording of indicator readings on temperature and humidity.</li> <li>f) Check thermostat settings to ensure the cooling system of the area is kept comfortable. Check status alarm circuits.</li> <li>g) Clean and pressure wash condenser coils. Dirty coils reduce the system's ability to cool and cause the system to run longer, increasing energy costs and reducing the life of the equipment.</li> <li>h) Tighten all electrical connections and measure voltage and current on motors. Check for possible defective or worn-out electrical components, replace if necessary. Faulty electrical connections can cause unsafe operation of the system and reduce the life of major components. Check for possible defective or worn-out electrical components, replace if necessary.</li> <li>i) Lubricate all moving parts. Parts that lack lubrication cause friction in the motors and increase the use of electricity.</li> <li>j) Check and inspect the condensate drain in the central air conditioner, furnace and/or heat pump. Check controls of the system to ensure proper and safe operation. Check the starting cycle of the equipment to assure the system starts, operates, and shuts off properly.</li> <li>k) Inspect evaporator (indoor blower) and condenser (outdoor unit) air conditioning coils.</li> <li>l) Check central air conditioners refrigerant level and adjust if necessary. Too much or too little refrigerant will make the system less efficient increasing energy costs and reducing the life of the equipment.</li> </ul> |  |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | <ul style="list-style-type: none"> <li>m) Clean and adjust blower components to provide proper system airflow for greater comfort levels. Airflow problems can reduce the system's efficiency.</li> <li>n) Inspect and adjust fan belts tension, replace if necessary. Inspect, clean, and change air filters as necessary. A dirty filter can increase energy costs and damage the equipment, leading to early failure.</li> <li>o) All the necessary spare parts or consumable items such as filters, charging of Freon, and the likes to maintain the PACU will be allotted from inventory for immediate replacement of defective components.</li> <li>p) Replacement of defective components and parts of PACU unit such as compressor, indoor fan motor, outdoor fan motor, condensing unit, control panel, pressure transmitter, circuit breakers and contactors.</li> <li>q) Replacement of unrepairable equipment as necessary / as required.</li> </ul> |  |
|  | <p>2) Back-up Air Conditioning Unit<br/>Maintenance service for the two (2) units 5TR floor mounted split type air conditioning units shall include the following as needed:</p> <ul style="list-style-type: none"> <li>a) Regular inspection and cleaning of condensers and air blowers.</li> <li>b) Lubrication of all moving parts of the equipment as necessary.</li> <li>c) Inspect and adjust fan belts tension, replace if necessary.</li> <li>d) Inspect, clean, and change air filters as necessary.</li> <li>e) Check, add or replace refrigerant as necessary.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                             |  |
|  | <p><b>C Fire Suppression</b><br/>Maintenance services for the fire suppression system shall include the following as needed:</p> <ul style="list-style-type: none"> <li>1) Inspection of Devices <ul style="list-style-type: none"> <li>a) Hazard Enclosure: Check original installation for any changes, check equipment has not been replaced, modified, or relocated; verify if the hazard volume is still the same and no walls or partitions have been added; verify if protected rooms are effectively sealed; any significant air leaks that could result to agent leakage and a failure of the enclosure to hold the specified agent concentration level for the specified holding period.</li> </ul> </li> </ul>                                                                                                                                                                                                                                        |  |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |
|  | <p>b) Agent Cylinder</p> <ol style="list-style-type: none"> <li>i. Check and make sure all containers and brackets are securely fastened.</li> <li>ii. Check mounting position of horizontally mounted containers.</li> <li>iii. Check and verify if the weight of agent in each cylinder matches the agent stamped on the label</li> <li>iv. Check all containers pressure gauges and ensure reading must be 360 PSIG at 70-degree F</li> <li>v. Check Solenoid Valve/ Gas cartridge actuator leads and wiring to agent release modules for corrosion and loosen or broken wires, repair necessary</li> </ol> |  |
|  | <p>c) Piping and Nozzles</p> <ol style="list-style-type: none"> <li>i. Verify discharge nozzles and pipe size if it's in accordance with system drawings.</li> <li>ii. Verify piping joints discharge nozzles if securely fastened</li> <li>iii. Verify the piping distribution system internally to detect the possibility of any matter soiling the hazard area.</li> <li>iv. Verify the nozzle deflectors if it is positioned to obtain maximum benefits.</li> <li>v. Verify discharge nozzle, pipe, and fittings.</li> </ol>                                                                               |  |
|  | <p>d) Pipe Support and Brace</p> <p>Inspect pipe supports hangers and braces for loose, corrosion, and physical damage</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
|  | <p>e) Fire Detection, Alarm, Releasing Devices and Peripherals</p> <p>Verify all wiring systems are properly installed in compliance with local codes and the system drawings</p> <ol style="list-style-type: none"> <li>i. Check all wiring systems.</li> <li>ii. Check the control panels.</li> <li>iii. Check all end-of-line resistors.</li> <li>iv. Check alternating current (ac) and direct current (dc) wiring.</li> <li>v. Check all field circuit.</li> <li>vi. Check the control panel power supplied to the control unit from a separate dedicated source that</li> </ol>                          |  |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | <p>will not be shut down on system operation.</p> <p>vii. Verify if the main/reserve switches are properly installed, readily accessible, and clearly identified, perform necessary repairs if applicable</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
|  | <p>f) Testing</p> <p>i. Disable each agent storage container release mechanism so that activation of the release circuit will not release agent.</p> <p>ii. Verify if the control panel is connected to a dedicated circuit and labeled properly. Verify if control panel is readily accessible yet restricted from unauthorized personnel</p> <p>iii. Using smoke tester, check each detector for proper response. Verify all alarm functions occur according to design specification.</p> <p>iv. Operate the necessary circuit to initiate a second alarm circuit if present. Check each detector for proper response. Verify that all second alarm functions occur according to design specifications.</p> <p>v. Operate manual release. Verify if manual release function occurs according to design specifications.</p> <p>vi. Operate abort switch circuit if supplied.</p> <p>vii. Verify abort functions according to design specifications.</p> <p>viii. Test all supervised circuits for proper trouble response.</p> <p>ix. Operate one of each type of input device while on standby power. Verify that an alarm signal is received at remote panel after device is operated. Reconnect primary power supply.</p> <p>x. Operate each type of alarm signal condition on each signal circuit and verify receipt of trouble at the remote station.</p> <p>xi. The system shall be returned to its fully operational design condition</p> |  |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | 2) Replacement of defective FM-200 components such as smoke detector, fm200 panel, alarm bell, electric control head.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |
|  | 3) Refill of FM 200 agent due to discharge during scheduled maintenance activity or any accidental discharge due to fault of the Contractor shall be at the expense of the Contractor.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |
|  | 4) Refill of FM 200 agent due to normal discharge caused by any fire hazard coming from the SEC complex or any accidental discharge due to fault of SEC personnel shall be at the expense of SEC.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  |
|  | 5) Refill of FM 200 agent due to normal discharge caused by any fire hazard coming from the SEC Data Center shall be at the expense of the Contractor.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |
|  | 6) Provision of hand-held, stand-alone fire suppression cylinder as service unit during the refill process and until the actual FM-200 cylinder has been re-installed.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |
|  | 7) Re-testing of the entire fire suppression system upon installation of any replaced device or component.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |
|  | <p>D Auxiliary System</p> <p>1) IP Based Surveillance System</p> <p>Maintenance service for the CCTV system shall include the following as needed:</p> <ul style="list-style-type: none"> <li>a) Check cameras in accordance with the specification and any amendment. Check indicator lamps condition. Check the picture quality of each camera and correct monitor selection.</li> <li>b) Check if all cables and conduit are properly supported, undamaged and showing no signs of wear.</li> <li>c) Clean camera housings and lenses.</li> <li>d) Check all power connections to ensure AC plugs are not loose or cable power frayed.</li> <li>e) Check camera functions and movement and fields of view are free from obstruction.</li> <li>f) Check all control equipment if it's in good running condition.</li> <li>g) Clean monitor screen, control panel and keyboard with diluted cleaning solution.</li> <li>h) Check monitor for proper brightness and contrast.</li> </ul> |  |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | <ul style="list-style-type: none"> <li>i) Check Hard Disk Drive (HDD) Health and Network Video Recorder NVR Recording Monitors its compression capability and storage capacity level.</li> <li>j) Conduct regular backup of all cameras connected to NVR.</li> <li>k) Replacement of defective dome type CCTV cameras as necessary</li> <li>l) Replacement of defective 8 channel video recorder as necessary</li> <li>m) Replacement of defective CCTV Cabling components</li> <li>n) Replacement of defective 24 port POE switch as necessary</li> </ul>                                                                                                                                                                                                                                                                                          |  |
|  | <p>2) Internet of Things (Water Leak Detection System &amp; Temperature and Humidity)</p> <p>Maintenance service for Internet of Things shall include the following:</p> <ul style="list-style-type: none"> <li>a) Routine checking and cleaning of all Water leak detection and Temperature humidity.</li> <li>b) Inspection of all sensing cable laid out in the Data Center perimeter and selected sensors.</li> <li>c) Testing of the control panel and alarm system</li> <li>d) All the necessary spare parts or consumable items to maintain the Water leak detection system and Temperature and Humidity Sensor will be allotted from inventory for immediate replacement of defective components.</li> <li>e) Replacement/repair of defective component/parts</li> </ul>                                                                    |  |
|  | <p>3) Data Racks, IDF Racks, Cold Aisle Containment System &amp; Cable Tray</p> <ul style="list-style-type: none"> <li>a) Inspection Data racks to make sure that airflow is unobstructed around the device and into the air intake vents.</li> <li>b) Surface cleaning of unit with solution to remove dirt on the chassis.</li> <li>c) Cleaning of equipment ventilation for accumulated dirt and dust.</li> <li>d) Check the dual Power Distribution Unit</li> <li>e) Inspect and correct as necessary proper filtering of power supply output voltage.</li> <li>f) Confirm power supply redundancy if applicable.</li> <li>g) Record input / output Voltage and Current. Verify PDU Output Load does not exceed unit rating. Measure Neutral and Ground Currents. Verify Neutral Current does not exceed Neutral conductor capacity.</li> </ul> |  |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | h) Replacement/repair of defective components/parts                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |
|  | <p>4) Structured Cabling System &amp; Fiber Optic</p> <p>The following shall include all the labor, tools of trade, and expertise necessary in the performance of the services as needed:</p> <ul style="list-style-type: none"> <li>a) Regular monthly routine checks of structured cabling installation per cabinet.</li> <li>b) Checking and re-testing of equipment patch cables.</li> <li>c) Perform necessary troubleshooting and provide problem resolution.</li> <li>d) Regular check, test and perform maintenance services to keep the system in good operating condition.</li> <li>e) Perform necessary re-termination of fiber optic cables</li> <li>f) Perform necessary re-termination of patch cords and pigtails.</li> <li>g) Perform necessary end to end cable testing, labelling, and tagging.</li> <li>h) Upkeep all network racks and IDF racks distributed per floor location.</li> <li>i) Assist in the survey, planning and design, implementation, and documentation of new cabling requirements.</li> <li>j) All the necessary spare parts or consumable items to maintain the physical cabling system will be allotted from inventory for immediate replacement of defective components.</li> </ul> |  |
|  | <p>5) Door Access System</p> <ul style="list-style-type: none"> <li>a) Hardware troubleshooting and problem isolation</li> <li>b) Checking of primary and backup power supply as needed</li> <li>c) Cleaning and inspection of the access control unit including its peripherals such as the electromagnetic lock mechanism as needed.</li> <li>d) Check and inspect door mechanism.</li> <li>e) Check and inspect electromagnetic lock.</li> <li>f) Check and inspect biometric.</li> <li>g) Perform necessary repair and replacement of parts or unit if necessary.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |
|  | <p>6) Data Center Infrastructure Management</p> <ul style="list-style-type: none"> <li>a) Renewal of 100 licenses Data Center Infrastructure Management (DCIM) software with service agreement for one (1) year with the following features and specifications</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | <p>i. Data Center Infrastructure Management</p> <p>i.1) Must be able to manage data center racks, front and back.</p> <p>i.2) Must be able to visualize patch panel connections.</p> <p>i.3) Must be able to manage structured cabling with data entry via UI or APIs and update back connectivity using bulk operations.</p> <p>i.4) Must be Full CMDB for servers and other assets</p> <p>i.5) Must be able to document physical, virtual, blade, clustered, and more device types.</p> <p>i.6) Must be agentless</p> <p>i.7) Must be able to track spares use or spares for deployment</p> |  |
|  | <p>ii. IP Address Management</p> <p>ii.1) Must be able to manage 1Pv4 and 1Pv6 addresses.</p> <p>ii.2) Must be able to overlap IP Ranges and nested Subnets</p> <p>ii.3) Must be able to assign automatically available IPs to devices.</p> <p>ii.4) Must be able to build graphic network visualizations of switch port to switch port connections.</p> <p>ii.5) Must be able to transfer zones and zone records automatically from DNS servers.</p> <p>ii.6) Must be able to provide API calls to find next or assign a new IP using scripting language</p>                                 |  |
|  | <p>iii. Device Discovery</p> <p>iii.1) Must be capable to enable SNMP discovery</p> <p>iii.2) Must be capable to connect VMware v Center Server/E SX/ ESXi/ Citrix Xen servers and have hosts and VMs details.</p>                                                                                                                                                                                                                                                                                                                                                                            |  |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | <p>iii.3) Must be capable to connect with Cisco UCS</p> <p>iii.4) Must be capable to write Apls</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |
|  | <p>iv. Enterprise Password Management</p> <p>iv.1) Must be able to manage shared password controls who can view and change.</p> <p>iv.2) Must be able to create strong, and unique passwords</p> <p>iv.3) Must be able to ensure that every password change is recorded and tracked ensuring full visibility and fail- safe password tracking.</p> <p>iv.4) Must be able to create and schedule custom reports showing what passwords have been changed, and what passwords have not been changed.</p> <p>iv.5) Must have AES 256-bit encryption</p> <p>iv.6) Must be able to control permission of passwords</p> |  |
|  | <p>v. Application Dependency Mapping</p> <p>v.1) Agentless services and application discovery using native protocols with optional agents are available.</p> <p>v.2) offers detailed configuration discovery. View discovered configuration details for major applications like Oracle, Microsoft SQL, MongoDB, PostgreSQL, MySQL, ColdFusion, IIS, Apache, and more.</p> <p>v.3) Automatically discover application components for applications such as Oracle, Postgres,</p>                                                                                                                                    |  |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | MySQL, MongoDB, IIS etc. including their respective software version information, processes, and executables                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  |
|  | <p><b>E Acoustic Ceiling System</b></p> <ol style="list-style-type: none"> <li>1. Spot cleaning to remove stains.</li> <li>2. Replace water damaged acoustic panels.</li> <li>3. Re-paint or re-capping of grid system</li> <li>4. Re-surface acoustic panels to restore original appearance.</li> <li>5. Replace warped or broken acoustic panels</li> </ol>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |
|  | <p><b>F Raised Floor System</b></p> <ol style="list-style-type: none"> <li>1. Panel rotation for even wear.</li> <li>2. Understructure adjustments</li> <li>3. Replacement broken edge trim.</li> <li>4. Replacement warped panels.</li> <li>5. Refurbish delaminated panels.</li> <li>6. Filter vacuuming.</li> <li>7. Sealant applied to sub flooring.</li> <li>8. Spot cleaning to remove stains.</li> <li>9. Detail cleaning of entry points.</li> </ol>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  |
|  | <p><b>G Glass Wall Partition &amp; Aluminum Composite Panel (ACP) Cladding</b></p> <ol style="list-style-type: none"> <li>1. Spot cleaning to remove stains.</li> <li>2. Cleaning of all the entire glass panels by squeegee strokes.</li> <li>3. Removing excess dirt at the bottom of the glass panels using sponge or dry cloth.</li> <li>4. Cleaning of the bottom frame.</li> <li>5. Replacement of damaged glass wall partition and ACP Cladding</li> </ol>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  |
|  | <p><b>H Manpower Support Service</b></p> <ol style="list-style-type: none"> <li>1. Onsite technical support<br/>Provide at least two (2) onsite technical personnel for a period of twelve (12) months to perform tasks required for continuous Data Center operation. The onsite technical personnel will alternately be on duty from Monday to Sunday.<br/>*Monday-Friday 12x5 – (8pm to 8am shift)<br/>*Saturday-Sunday including holidays - 24hrs</li> </ol> <p>They are responsible to perform daily monitoring, support, troubleshooting and reporting of the Data Center and Auxiliary Components. The technical personnel must have the following qualifications:</p> <ol style="list-style-type: none"> <li>a) Trained in the existing major Data Center components: <ul style="list-style-type: none"> <li>• Precision Air Conditioning Unit</li> <li>• Uninterruptible Power Supply</li> <li>• Fire Suppression System</li> </ul> </li> </ol> |  |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | <ul style="list-style-type: none"> <li>• Data Center Infrastructure Management</li> </ul> <p>b) With electrical and/ or structured system experience</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
|  | <p>2. Technical Support from Main Office of the Service Provider</p> <p>Designate a head office-based personnel who will be responsible in managing and providing administrative support for the service as follows:</p> <ul style="list-style-type: none"> <li>a) One (1) Primary Contact Service Manager- responsible for monitoring and managing operations of the service at SEC.</li> <li>b) Back Office Support- provide administrative support service including processing relevant documents pertinent to the administration of the service herein required.</li> <li>c) Phone and email support: 24 x 7 Monday – Sunday including holidays.</li> <li>d) On-call personnel/Emergency Response Team: 24 x 7 Monday-Sunday including regular holidays, special holidays and government announced holidays. On call support is provided in situations that require the presence of Technical Personnel at SEC site as urgently needed to perform critical activities. Response time is within 2 hours from receipt of call.</li> </ul> |  |
|  | <p>3. Provide service reports and documentation</p> <ul style="list-style-type: none"> <li>• Incident report (if any)</li> <li>• Site inspection report</li> <li>• Quarterly activity summary report</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  |
|  | <p>II. Service Level Agreement</p> <p>A The maintenance and support services to be provided by the service provider to SEC shall on a 24 x 7 basis which can be delivered in the form of telephone and electronic mail.</p> <p>B Problem and resolution shall inform the SEC. Resolution which shall refer to a condition wherein the reported problem is resolved by the service provider to the satisfaction of the SEC shall be delivered within two (2) hours from receipt of service call.</p> <p>C The service provider shall notify in writing the SEC for any on-site technical support to be rendered beyond regular office hours, subject to approval by concerned SEC officials.</p> <p>D</p> <p>E The maintenance service shall include all activities related to the Preventive and Remedial Maintenance to keep and maintain the equipment including its components and licenses in good working condition.</p>                                                                                                                |  |

F A regular Preventive Maintenance shall be performed monthly for the equipment and its components. It shall cover the following activities:

G Physical Checkup

H External Cleaning

I Checkup of configuration and utilization

J A Remedial Maintenance on an on-call basis during the preventive maintenance services shall be provided as the need arises and shall be accompanied by a Remedial Maintenance Report.

K If the condition necessitates an On-Site support, the service provider shall provide an on-site support depending on the following severity:

|            |           |                                                                                                     |                                                                            |
|------------|-----------|-----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|
| Severity 1 | Critical  | Critical major service failure of the equipment completely interrupts the operation of SEC          | Response time is within 2 hours from receipt of call.                      |
| Severity 2 | High      | Substantial service failure of the equipment leading to major delays to most offices of the SEC     | On-Site Support on the Same Business Day or remote access can be arranged. |
| Severity 3 | Important | Standard service failure of the equipment with no or negligible impact to the operations of the SEC | On-Site Support within 5 Business Days                                     |
| Severity 4 | Normal    | Requests for information with reference to the CONTRACTOR'S Technical Support On-Site assistance.   |                                                                            |

L The service provider shall submit a report stating that there are no pending issues at the end of the contract period which the SEC shall concur.

M The service provider shall ensure that the on-call Technical Support has the capability to provide through analysis of the technical problems escalated by the SEC and provide immediate and permanent solutions.

N

O The service provider warrants, represents, and undertakes reliability of the service and that their manpower complements are hardworking,

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | <p>qualified/reliable and dedicated to do the service required to the satisfaction of SEC. It shall employ well-behaved and honest employees with ID displayed conspicuous while working within the compound. It shall not employ SEC employees to work in any category whatsoever.</p> <p>P The service provider shall coordinate with the authorized and/or designated SEC personnel in the performance of their jobs</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
|  | <p>III. DOCUMENTARY REQUIREMENT TO BE ATTACHED IN THE TECHNICAL SPECIFICATIONS:</p> <p>A Copy of at least three (3) government completed contracts for the specific experience on the data center maintenance for the past 5 years:</p> <ul style="list-style-type: none"> <li>• Uninterruptible Power Supply (UPS)</li> <li>• Precision Air conditioning unit (PACU)</li> <li>• Fire Suppression System</li> <li>• Electrical System</li> <li>• Temperature and Humidity Sensor</li> <li>• Water leak Detection System</li> </ul> <p><i>(Submit completion certificate/contract)</i></p> <p>B Authorized partner or reseller or distributor certification of the following equipment currently installed in the SEC Data Center:</p> <ul style="list-style-type: none"> <li>• INVT for Precision Air Conditioning Units (PACU)</li> <li>• INVT for Uninterruptible Power Supply (UPS)</li> <li>• Asenware for Fire Suppression System</li> <li>• Device42 for Data Center Infrastructure Management</li> </ul> |  |
|  | <p>IV. Manpower Requirements</p> <p>A One (1) Project Manager - Must be a Project Management Professional certified by an international certifying body (i.e. Project Management Institute) and must be a regular employee of the bidder for at least five (5) years. Trained in existing brand major Data center components such as UPS, PACU, &amp; Fire suppression.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
|  | <p>B Certified Development Project Manager - Must be a Certified Development Project Manager certified by an international certifying body and a regular employee of the bidder. Trained in existing brand of major Data center components such as UPS, PACU, and Fire suppression.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |
|  | <p>C One (1) Safety Officer- Must be a regular employee of the Bidder for at least five (5) years. Must have trained and completed the Construction Occupational Safety and Health course for safety officer as prescribed by DOLE; Must have completed advanced training in</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |

|  |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |
|--|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  |   | Hazard Identification, Risk Assessment, and Control (HIRAC) and Advanced Occupational Safety and Health Loss Control Management (LCM); & trained in existing brand major Data center components such as UPS, PACU, & Fire suppression                                                                                                                                                                                                                                                                                                                                                                                                                             |  |
|  | D | Professional Electrical Engineer - Must be registered with PCAB as Sustaining Technical Employee (STE) of the bidder; Should be a Professional Electrical Engineer with at least five (5) years' experience in electrical system design, installation, and implementation; trained in existing brand major Data center components such as UPS, PACU, & Fire suppression.; Must be trained in Electrical load and voltage drop calculation and application; Must be trained in Protection and Insulation; Must be trained in Short Circuit calculation and application and can act as Authorized Safety officer as well, with completed the Safety training course |  |
|  | E | Professional Mechanical Engineer – Must be registered with PCAB as Sustaining Technical Employee (STE) of the bidder, with at least five (5) years' experience in mechanical works, installation, and implementation; trained in existing brand major Data center components such as UPS, PACU, & Fire suppression.                                                                                                                                                                                                                                                                                                                                               |  |
|  | F | Professional Electronics and Communication Engineer - Must be registered with PCAB as Sustaining Technical Employee (STE) of the bidder, with at least five (5) years' experience in Data Center maintenance, and trained in existing brand major Data center components such as UPS, PACU, & Fire suppression                                                                                                                                                                                                                                                                                                                                                    |  |
|  | G | One (1) Precision Air Conditioning Unit Expert- must be a regular employee with at least (5) five years' experience in the installation and maintenance of Precision Air conditioning unit. With training certificate of existing brand PACU issued by the Manufacturer or Distributor                                                                                                                                                                                                                                                                                                                                                                            |  |
|  | H | One (1) Uninterruptible Power Supply Expert - A regular employee with at least (5) five years' experience in the installation or configuration of Uninterruptible Power Supply. With training certificate of existing brand UPS issued by the Manufacturer or Distributor                                                                                                                                                                                                                                                                                                                                                                                         |  |
|  | I | One (1) Fire Suppression System Expert - A regular employee with at five (5) years' experience in the installation or configuration of Fire Suppression system with training certificate of existing brand FM200 issued by the Manufacturer or Distributor                                                                                                                                                                                                                                                                                                                                                                                                        |  |
|  | J | One (1) Information Security Implementer and Data Center Specialist- a regular employee of                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | the bidder with at least ten (10) years. Must be a Certified Information Security Manager (CISM); Certified Data Center Specialist (CDCS) and Certified Data Privacy Solutions Engineer (CDPSE); Trained in existing brand major data center components such as UPS, PACU, and Fire Suppression System                                                                                                                                                                                                        |  |
|  | K Electrician- Must be a regular employee of the bidder. Must have NC II Certificate from TESDA or TESDA Accredited Center. Must be trained in Installing Electrical Protective Devices for Distribution, Power, Lightning Protection and Grounding Systems and Performing Roughing-In Activities, wiring and cabling works for Single-Phase Distribution, Power, Lighting and Auxiliary System                                                                                                               |  |
|  | L Two (2) Technical Engineer – Must be regular employees of the bidder with at least two (2) years' experience in Data Center, Certified Network and System Management Engineer, trained in Advanced Technical Training for the existing brand Data Center Infrastructure Management & Trained in Cyber Security Administrator and Trained in IR & Threat Hunting                                                                                                                                             |  |
|  | M Cloud Management System Certified Engineer –must be a regular employee of the bidder and Certified in Cloud Management System and must have training in Video Surveillance System and network monitoring software                                                                                                                                                                                                                                                                                           |  |
|  | V. Bidder's Qualification<br>A The bidder must be capable of implementing the project consistent with the primary purpose as it appears in its SEC Articles of Incorporation that it provides any and all acts and things that are associated with or required in information and communication technology including but not limited to design, build and maintenance of data center; renovation, build and maintenance of local or wide area wired or wireless data, voice, and video network communication. |  |
|  | B The bidder must be operating in the Philippines for the past 30 years.                                                                                                                                                                                                                                                                                                                                                                                                                                      |  |
|  | C The bidder must be an ICT company with valid contractor's license issued by Philippine Contractors Accreditation Board (PCAB) with the following acceptable category and classifications:<br>1. Principal Classification: General Building "AAA"<br>2. Specialty Classification:<br>▪ Communications Facilities<br>▪ Electrical Works<br>▪ Mechanical Works                                                                                                                                                 |  |

|  |                                                                                                                                                                                                                                                                                |  |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | <ul style="list-style-type: none"> <li>▪ Air Conditioning and Refrigeration Works</li> <li>▪ Fire protection works</li> </ul>                                                                                                                                                  |  |
|  | D The bidder must be an ISO 9001:2015 Certified particularly maintenance of Data Center; Build/Renovation of local or wide area wires or wireless data, voice, and video network communication (Submit valid ISO 9001:2015 – QMS Certificate)                                  |  |
|  | E The bidder must be an ISO 27001:2022 certified (Information Security Management Systems) specifically for the provision of Technology Construction and Enterprise Business Solutions Installation, Maintenance and Support. (Submit valid ISO 27001:2022 – ISMS Certificate) |  |

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct; if otherwise found to be false either during bid evaluation or post qualification, the same shall give rise to automatic disqualification of our bid.

**Authorized Representative:**

Signature : \_\_\_\_\_  
Printed Name : \_\_\_\_\_  
Company : \_\_\_\_\_  
Name : \_\_\_\_\_  
Date : \_\_\_\_\_

## ***Section VIII. Philippine Bidding Document Related Forms***

## TABLE OF CONTENTS

|                                                                           |            |
|---------------------------------------------------------------------------|------------|
| <b>Bid Form for Procurement of Goods .....</b>                            | <b>93</b>  |
| <b>Price Schedule for Goods Offered from Within the Philippines .....</b> | <b>95</b>  |
| <b>Price Schedule for Goods Offered from Abroad .....</b>                 | <b>96</b>  |
| <b>Contract Form .....</b>                                                | <b>97</b>  |
| <b>Omnibus Sworn Statement Form .....</b>                                 | <b>100</b> |
| <b>Bid Securing Declaration Form.....</b>                                 | <b>104</b> |

## **Bid Form for Procurement of Goods**

***[Note: The duly accomplished form shall be submitted with the Bid]***

---

### **BID FORM**

Project Identification No.: *[Insert number]*

To: *[Name of Procuring Entity]*

Having examined the Philippine Bidding Documents (PBD) including the Supplemental Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, declare that:

- a) I/We have no reservation to the PBD, including the Supplemental Bid Bulletins, for the Procurement Project *[Project Title]*;
- b) Select one, delete the other
  - I/We undertake to deliver the Goods in accordance with the delivery schedule in the Schedule of Requirements;
  - I/We offer to execute the Works for this Contract in accordance with the PBD;
- c) The total price of our Bid in words and figures, excluding any discount offered below, is *[insert information]*
- d) The discounts offered and the methodology for their application, if any, are: *[insert information]*; or indicate N/A if no discount offered
- e) The total bid price in words and figures, after applying the applicable discount, includes the cost of all taxes, such as, but not limited to *[specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties]*, which are itemized in the *[Select one, delete the other: the Price Schedules/ Detailed Estimates]*.
- f) This Bid shall remain valid within a period stated in the PBD, and it shall be binding upon me/us at any time before the expiration of that period;
- g) If our bid is accepted, I/we commit to enter to a contract and provide a performance security in the form, amounts, and within the times prescribed in the PBD, and hereby acknowledge the consequences under the IRR of RA No. 12009 on forfeiture of Bid Security or enforcement of Bid Securing Declaration and on Blacklisting.

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon the Bidder.

I/We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

I/We certify/confirm that we comply with the eligibility requirements pursuant to the PBD.

The undersigned is authorized to submit the bid on behalf of [Name of the Bidder] as evidenced by the attached [State the Written Authority].

I/We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Duly authorized to sign the Bid for and behalf of:

*[Insert Bidder's Name]*

*[Signature over Printed Name]*

*[Position/Designation]*

*[Date]*

\_\_\_\_\_

### Pricing Details for Goods Offered from Within the Philippines

### Summary of Bid Prices

| 1        | 2    | 3                         | 4            |
|----------|------|---------------------------|--------------|
| Item No. | Item | Particulars / Description | Total Amount |
|          |      |                           |              |
|          |      |                           |              |
|          |      |                           |              |

Signature: \_\_\_\_\_

95

## Price Schedule for Goods

Name of Bidder \_\_\_\_\_ Project ID No. \_\_\_\_\_ Page \_ of \_\_\_\_\_

### Pricing Details for Goods Offered from Abroad

| 1    | 2           | 3                 | 4        | 5                                                                                                             | 6                                            | 7                                      | 8                                    | 9                                     |
|------|-------------|-------------------|----------|---------------------------------------------------------------------------------------------------------------|----------------------------------------------|----------------------------------------|--------------------------------------|---------------------------------------|
| Item | Description | Country of origin | Quantity | Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination) | Total CIF or CIP price per item (col. 4 x 5) | Unit Price Delivered Duty Unpaid (DDU) | Unit price Delivered Duty Paid (DDP) | Total Price delivered DDP (col 4 x 8) |
|      |             |                   |          |                                                                                                               |                                              |                                        |                                      |                                       |

### Summary of Bid Prices

*The Procuring Entity may modify the table below as necessary to comply with the requirements of a specific Project.*

| 1        | 2    | 3                         | 4            |
|----------|------|---------------------------|--------------|
| Item No. | Item | Particulars / Description | Total Amount |
|          |      |                           |              |
|          |      |                           |              |
|          |      |                           |              |

Name: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

## Contract Form

*[Note: The duly accomplished form is not required to be submitted with the Bid but shall be submitted within ten (10) days after receiving the Notice of Award]*

---

### CONTRACT FOR [Insert Project Title]

This CONTRACT executed on the \_\_\_\_ day of \_\_\_\_\_ 20\_\_\_\_ by and between:

*[Name of Procuring Entity]*, a government agency of the Republic of the Philippines, hereinafter called "the Entity";

-and-

*[Name of Supplier /Contractor/ Consultant]* a company duly organized and existing under the laws of [city and country], with principal office at [insert address], hereinafter called "the Supplier".

WHEREAS, the Entity invited Bids for certain goods and services/works/consulting services, particularly *[Brief description of Project]*;

WHEREAS, the Supplier/Contractor/Consultant submitted a responsive bid and was awarded the contract for the procurement in the total amount of *[Contract price in words and figures, including currency]*, hereinafter referred to as the "Contract Price."

NOW, THEREFORE, for and in consideration of the foregoing premises, the parties hereby agree as follows:

4. Unless otherwise stated, terms and expressions used in this Contract shall have the same meanings as those assigned to them in the Conditions of Contract, which form an integral part of this Contract.
5. The following documents as required by the Implementing Rules and Regulations of Republic Act No. 12009 shall form part and be read and construed as integral parts of this Contract, viz.:
  - a. Philippine Bidding Document (PBD); *[Select one, delete the others]*
    - *For Procurement of Goods*
      - i. Invitation to Bid;
      - ii. Instruction to Bidders;
      - iii. Bid Form, including all the documents/statements contained in the Bidder's bidding envelopes, as annexes, and all other documents submitted (e.g., Bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;
      - iv. Bid Data Sheet;
      - v. Schedule of Requirements;
      - vi. Technical Specifications;
      - vii. General and Special Conditions of Contract;
      - viii. Supplemental Bid Bulletins, if any; and

- ix. Other contract documents that may be required by existing laws and/or the Entity.
- *For Procurement of Infrastructure Projects*
    - i. Drawings/Plans;
    - ii. Specifications;/Scope of Work;
    - iii. Bill of Quantities;
    - iv. General and Special Conditions of Contract; and
    - v. Supplemental Bid Bulletins, if any;
  - *For Procurement of Consulting Services*
    - i. General and Special Conditions of Contract;
    - ii. Terms of Reference;
    - iii. Request for Expression of Interest;
    - iv. Instructions to Bidders;
    - v. Bid Data Sheet;
    - vi. Addenda and/or Supplemental/Bid Bulletins, if any;
    - vii. Bid forms, including all the documents/statements contained in the Bidder's bidding envelopes, as annexes, and all other documents/ statements submitted (e.g., bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;
    - viii. Eligibility requirements, documents and/or statements;
    - ix. Performance Security;
    - x. Notice of Award of Contract and the Bidder's *conforme* thereto; and
    - xi. Other contract documents that may be required by existing laws and/or the Entity.
- b. Winning bidder's bid, including the Eligibility Requirements, Technical and Financial Proposals, and all other documents or statements submitted;
  - c. Performance Security;
  - d. Notice of Award of Contract; and the Bidder's *Conforme* thereto; and
  - e. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBD, such as but not limited to the Notice to Proceed and Warranty Security.
5. In consideration of the Contract Price of [*Contract Price in words and figures*], or such other sums as may be determined in accordance with the terms of the Contract, the Supplier/Contractor/Consultant agrees to deliver and perform the items and related services for the [*Project Title*] described herein in accordance with the terms and conditions specified in the Contract and its annexed documents.
  6. The [*Name of the Procuring Entity*] agrees to pay the above-mentioned sum to the Supplier/Contractor/Consultant in accordance with the schedule and manner provided in the Bidding Documents and its annexes.
  7. Any dispute, difference, or claim arising out of or relating to this Contract, including its existence, validity, interpretation, breach, or termination thereof, may be submitted to arbitration or other form of alternative dispute resolution in accordance with the

applicable law, such as Republic Act No. 9285 (Alternative Dispute Resolution Act of 2004) or Executive Order No 1008, series 1985 (Construction Industry Arbitration Law).

IN WITNESS WHEREOF, the parties hereto have caused this Contract to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.

*For the Procuring Entity*

Head of the Procuring Entity or Duly  
Authorized Representative

*For the Bidder*

Duly authorized to sign the Contract for and  
behalf of *[Bidders Name]*:

*[Signature over Printed Name]*  
*[Position/Designation]*  
*[Date]*

*[Signature over Printed Name]*  
*[Position/Designation]*  
*[Date]*

*Signed in the presence of:*

*[Name and Signature]*  
*Witness – Procuring Entity*

*[Name and Signature]*  
*Witness- Supplier*

#### ACKNOWLEDGMENT

BEFORE ME, A Notary Public for and in the \_\_\_\_\_, City/Province of \_\_\_\_\_, this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_, personally appeared the above-named persons who have satisfactorily proven to me their identity, through their identifying documents written below their names and signatures, that they are the same persons who executed and voluntarily signed the foregoing instrument consisting of \_\_\_\_\_ pages, including this page where this Acknowledgement is written, which they acknowledged before me as their free and voluntary act and deed.

WITNESS MY HAND AND SEAL this \_\_\_\_ day of *[month]* *[year]*.

#### NAME OF NOTARY PUBLIC

Notarial Commission No. \_\_\_\_\_  
Notary Public for \_\_\_\_\_ until \_\_\_\_\_  
Roll of Attorneys No. \_\_\_\_\_  
PTR No. \_\_, *[date issued]*, *[place issued]*  
IBP No. \_\_, *[date issued]*, *[place issued]*

Doc. No. \_\_\_\_\_  
Page No. \_\_\_\_\_  
Book No. \_\_\_\_\_  
Series of \_\_\_\_\_

## Omnibus Sworn Statement Form

**[Note: The duly accomplished form shall be submitted with the Bid]**

---

REPUBLIC OF THE PHILIPPINES )  
CITY/MUNICIPALITY OF \_\_\_\_\_ ) S.S.

### OMNIBUS SWORN STATEMENT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and with residence at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. **Select one, delete the others:**

- *If sole proprietorship:* I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [Address of Bidder];
- *If partnership, corporation, cooperative, or joint venture:* I am the duly authorized and designated representative of [Name of Bidder] with office address at [Address of Bidder];
- *If individual consultant not registered under a sole proprietorship, in case of Consulting Services:* I am the individual consultant or authorized representative of [Name of Bidder] with office address at [Address of Bidder];

2. **Select one, delete the others:**

- *If sole proprietorship:* As the owner and sole proprietor or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Project Title] of the [Name of the Procuring Entity][insert "as supported by the attached duly notarized Special Power of Attorney" for authorized representative];
- *If partnership, corporation, cooperative, or joint venture:* I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Project Title] of the [Name of the Procuring Entity], as supported by the attached duly notarized Special Power of Attorney, Board/Partnership Resolution, or Secretary's Certificate, whichever is applicable;
- *If individual consultant not registered under a sole proprietorship, in case of Consulting Services:* As the individual consultant or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Project Title] of the [Name of the Procuring Entity], as supported by the attached duly notarized Special Power of Attorney for authorized representative;

3. *[Name of Bidder]* is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board; by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity;
4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
5. *[Name of Bidder]* is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
6. *Select one, delete the others:*
  - *If sole proprietorship* : The *[Name of Bidder]* and its spouse are not related by consanguinity or affinity up to the third civil degree to the Head of the Procuring Entity, Procurement Agent (if engaged), End-User or Implementing Unit, project consultants, head of the Project Management Office, or the members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat;
  - *If partnership* : The partnership itself and the partners of *[Name of Bidder]* are not related by consanguinity or affinity up to the third civil degree to the Head of the Procuring Entity, Procurement Agent (if engaged), End-User or Implementing Unit, project consultants, head of the Project Management Office, or the members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat;
  - *If cooperative*: The cooperative itself and members of the board of directors, general manager, or chief executive officer of *[Name of Bidder]* are not related by consanguinity or affinity up to the third civil degree to the Head of the Procuring Entity, Procurement Agent (if engaged), End-User or Implementing Unit, project consultants, head of the Project Management Office, or the members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat;
  - *If corporation, or joint venture*: The corporation or joint venture itself, and officers, directors, and controlling stockholders of *[Name of Bidder]* are not related by consanguinity or affinity up to the third civil degree to the Head of the Procuring Entity, Procurement Agent (if engaged), End-User or Implementing Unit, project consultants, head of the Project Management Office, or the members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat;
  - *If individual consultant not registered under a sole proprietorship, in case of Consulting Services*: The individual consultant and its spouse are not related by consanguinity or affinity up to the third civil degree to the Head of the Procuring Entity, Procurement Agent (if engaged), End-User or Implementing Unit, project consultants, head of the Project Management Office, or the members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat;

7. It is understood that failure to faithfully disclose its relationship with the Head of the Procuring Entity, members of the BAC, the TWG, and the BAC Secretariat, the head of the PMO or the end-user unit or implementing unit, and the project consultants of the Procuring Entity, or of the procurement agent by consanguinity or affinity up to the third civil degree, as well as its submission of beneficial ownership information containing false entries shall be subject to blacklisting under Section 100 of the Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 12009, without prejudice to criminal and civil liabilities under applicable laws, including their accessory penalties, if any.

*Select one, delete the rest:*

- *In case of corporations:* [Name of Bidder] declares its beneficial ownership information consistent with its updated General Information Sheet or Beneficial Ownership Declaration Form or any other document duly submitted to the SEC and has maintained a valid and updated file therein in compliance with Sections 20.2.9.1, 81, and 82 of the IRR of RA No. 12009.
  - *In case of Foreign Bidders:* [Name of Bidder] submitted an appropriate equivalent document in English issued by the country of the bidder concerned in accordance with Section 20.2.9.2 of the IRR of RA No. 12009.
8. [Name of Bidder] complies with existing labor laws and standards; and
9. [Name of Bidder] is aware of and has undertaken the following responsibilities as a Bidder:
- a) Carefully examine all of the Bidding Documents;
  - b) Acknowledge all conditions, local or otherwise, affecting the implementation of the Contract;
  - c) Made an estimate of the facilities available and needed for the contract to be bid, if any; and
  - d) Inquire or secure Supplemental Bid Bulletin(s) issued for the [Project Title].
10. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
11. In case advance payment was made or given to [Name of Bidder], failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability under existing laws.

IN WITNESS WHEREOF, I have hereunto set my hand this \_\_\_\_ day of \_\_\_\_, 20\_\_ at \_\_\_\_\_, Philippines.

Duly authorized to sign the Bid for and behalf of:

*[Insert Bidder's Name]*

*[Affiant's Signature over Printed Name]*

*[Position/Designation]*

*[Date]*

### JURAT

SUBSCRIBED AND SWORN to before me this \_\_\_\_ day of *[month]* *[year]* at *[place of execution]*, Philippines. Affiant/s is/are personally known to me and was/were identified by me through competent evidence of identity as defined in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-SC). Affiant/s exhibited to me his/her *[insert type of government identification card used]*, with his/her photograph and signature appearing thereon, with no. \_\_\_\_.

WITNESS MY HAND AND SEAL this \_\_\_\_ day of *[month]* *[year]*.

### NAME OF NOTARY PUBLIC

Notarial Commission No. \_\_\_\_\_

Notary Public for \_\_\_\_\_ until \_\_\_\_\_

Roll of Attorneys No. \_\_\_\_\_

PTR No. \_\_, *[date issued]*, *[place issued]*

IBP No. \_\_, *[date issued]*, *[place issued]*

Doc. No. \_\_\_\_\_

Page No. \_\_\_\_\_

Book No. \_\_\_\_\_

Series of \_\_\_\_\_

## Bid Securing Declaration Form

*[The duly accomplished form shall be submitted with the Bid if bidder opts to provide this type of bid security]*

---

REPUBLIC OF THE PHILIPPINES )  
CITY/MUNICIPALITY OF \_\_\_\_\_ ) S.S.

### BID SECURING DECLARATION

Project Identification No.: [Number]

To: [Insert name of the Procuring Entity]

I/We, the undersigned, declare that:

- 1) I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration;

*[Insert paragraph for Unsolicited Offer with Bid Matching]*

I/We understand that upon conferment of the original offeror status under Section 30.6 of the Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 12009, the offeror shall submit a Bid Securing Declaration within ten (10) days from the receipt of the certificate of conferment;

- 2) Select one, delete the other:

- I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any Procuring Entity upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the Procuring Entity for the commission of acts resulting to the enforcement of the Bid Securing Declaration under Sections 52.2 (a), 63.2, 69.1 and 100, except 100.3 (c), of the IRR of Republic Act No. 12009; without prejudice to other legal action the government may undertake; and

*(For Unsolicited Offer with Bid Matching)*

- I/We accept that: I/we will be automatically disqualified from any procurement opportunity of the Procuring Entity for a period of one (1) year on the first offense, two (2) years on the second offense, and perpetually on the third offense without prejudice to other legal action the government may undertake.

- 3) I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:

- a) Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
- b) I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right;

*[Insert this paragraph for Unsolicited Offer with Bid Matching]*

2. Upon contract award and the LCCRB is not the original offeror; or
3. I am/we are declared the bidder with the *[Insert Award Criterion]* and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this \_\_\_\_ day of *[month]* *[year]* at *[place of execution]*.

Duly authorized to sign the Bid for and behalf of:

*[Insert Bidder's Name]*

*[Signature over Printed Name]*

*[Position/Designation]*

*[Date]*

#### JURAT

SUBSCRIBED AND SWORN to before me this \_\_\_\_ day of *[month]* *[year]* at *[place of execution]*, Philippines. Affiant/s is/are personally known to me and was/were identified by me through competent evidence of identity as defined in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-SC). Affiant/s exhibited to me his/her *[insert type of government identification card used]*, with his/her photograph and signature appearing thereon, with no. \_\_\_\_.

WITNESS MY HAND AND SEAL this \_\_\_\_ day of *[month]* *[year]*.

NAME OF NOTARY PUBLIC

Notarial Commission No. \_\_\_\_\_

Notary Public for \_\_\_\_\_ until \_\_\_\_\_

Roll of Attorneys No. \_\_\_\_\_

PTR No. \_\_, *[date issued]*, *[place issued]*

IBP No. \_\_, *[date issued]*, *[place issued]*

Doc. No. \_\_\_\_\_

Page No. \_\_\_\_\_

Book No. \_\_\_\_\_

Series of \_\_\_\_\_.

Republic of the Philippines



Government Procurement Policy Board